



In which setting do you currently mainly work?




ANSWER CHOICES	RESPONSES	
Hospital (secondary care, acute, tertiary, teaching)	60.39%	9,498
General practice / Primary care / Community	36.46%	5,735
Other	3.15%	496
TOTAL		15,729

What grade best describes your current post?

Answered: 15,729






ANSWER CHOICES	RESPONSES	
Consultant	32.27%	5,076
Staff, Associate Specialist and Specialty doctor (SAS)	7.64%	1,201
Junior doctor	20.32%	3,196
GP contractor / principal	17.06%	2,684
Salaried GP	9.37%	1,474
GP locum	3.80%	597
GP trainee	4.02%	632
Medical academic (consultant)	0.45%	71
Medical academic (GP)	0.15%	23
Medical academic (trainee)	0.41%	65
Public health (consultant)	0.13%	20
Public health (trainee)	0.04%	7
Medical student working in the NHS	0.45%	71
Retired doctor returning to NHS (working in hospital)	0.24%	38
Retired doctor returning to NHS (working in general practice)	0.36%	56
Returning (other than retired) doctor (working in hospital)	0.10%	16
Returning (other than retired) doctor (working in general practice)	0.08%	12
Locally employed / trust grade doctor	0.78%	122
Locum junior doctor	1.04%	163
Armed Forces doctor (working in hospital)	0.04%	6
Armed Forces doctor (working in general practice)	0.08%	12
Other	1.19%	187
TOTAL		15,729
Locum junior		


All doctors

We first want to ask about PPE for high-risk procedures to be used by healthcare workers delivering or assisting with an aerosol generating procedure (AGP) including in Intensive Care Units or the hot zone of an Emergency Department.Do you work in an AGP area?




ANSWER CHOICES	RESPONSES	
Yes	53.35%	5,026
No	46.65%	4,394
TOTAL		9,420

Over the last week, have you had adequate supplies or shortages of the following PPE when working in an AGP area?





BMA COVID-19 tracker survey




All doctors

	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
FFP3 masks / respirators	71.08% 3,471	21.11% 1,031	1.39% 68	5.16% 252	1.25% 61	4,883
FFP2 masks / respirators	44.83% 2,143	10.33% 494	3.64% 174	21.23% 1,015	19.96% 954	4,780
Long-sleeved disposable gowns	59.01% 2,878	30.33% 1,479	3.61% 176	5.95% 290	1.11% 54	4,877
Gloves	92.75% 4,516	3.96% 193	0.12%	2.42% 118	0.74% 36	4,869
Disposable goggles	49.02% 2,381	21.60% 1,049	10.75% 522	11.18% 543	7.45% 362	4,857
Full-face visors	61.46% 2,995	28.09% 1,369	3.16% 154	5.77% 281	1.52% 74	4,873
Scrubs	58.87% 2,870	32.78% 1,598	3.41% 166	3.32% 162	1.62% 79	4,875





Have you ever felt pressured when working in an AGP area to see a patient without adequate protection?



ANSWER CHOICES	RESPONSES	
Often	7.30%	355
Sometimes	22.00%	1,070
Never	70.70%	3,438
TOTAL		4,863

We next want to ask about PPE in other (non-AGP) settings to be used by healthcare workers who are in contact with patients with possible or confirmed COVID-19. Over the last week, have you had adequate supplies or shortages of the following PPE?






	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Fluid-repellent facemasks	68.55%	13.58%	2.74%	7.87%	7.26%	
•	6,101	1,209	244	700	646	8,900
Aprons	80.09%	7.49%	0.78%	5.31%	6.34%	
	7,123	666	69	472	564	8,894
Gloves	86.87%	2.73%	0.18%	4.37%	5.85%	
	7,719	243	16	388	520	8,886
Eye protection	51.85%	23.34%	6.65%	10.33%	7.82%	
	4,613	2,076	592	919	696	8,896
Scrubs	46.01%	29.48%	8.19%	6.92%	9.40%	
	4,092	2,622	728	615	836	8,893




Have you ever felt pressured when working in other (non-AGP) settings to see a patient without adequate protection?



ANSWER CHOICES	RESPONSES	
Often	7.89%	699
Sometimes	22.68%	2,008
Never	69.43%	6,148
TOTAL		8,855


If you are required to wear an FFP3 (or FFP2) mask / respirator, are there adequate provisions in your place of work for these to be fit tested to ensure an adequate seal according to the manufacturers' guidance?



ANSWER CHOICES	RESPONSES	
Always	31.10%	2,739
Usually	40.38%	3,556
Rarely	10.87%	957
Never	4.79%	422
Not relevant	12.85%	1,132
TOTAL		8,806




If you have been fit tested for a mask/respirator, which of the following best describes your experience?



ANSWER CHOICES	RESPONSES	
I passed the fit testing first time	45.34%	3,986
I had to try one or more alternative masks/respirator before passing	19.68%	1,730
I failed the fit testing	7.85%	690
I have not been fit tested	18.89%	1,661
I do not need to be fit tested	8.25%	725
TOTAL		8,792

We want to ask about PPE to be used by GPs who are in contact with patients with possible or confirmed COVID-19. Over the last week, have you had adequate NHS supplies or shortages of the following PPE?




All doctors

	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL
Fluid-repellent facemasks	62.84%	16.74%	8.42%	12.00%	
	3,450	919	462	659	5,490
Aprons	79.03%	8.08%	2.57%	10.32%	
	4,333	443	141	566	5,483
Gloves	84.47%	4.78%	1.55%	9.20%	
	4,629	262	85	504	5,480
Eye protection	50.07%	18.45%	18.82%	12.65%	
	2,746	1,012	1,032	694	5,484



Do you have sufficient PPE for safe contact with both possible /confirmed COVID-19 patients, and with "Non-COVID" symptoms patients?





ANSWER CHOICES	RESPONSES	
Always	30.53%	1,674
Usually	41.66%	2,284
Rarely	8.55%	469
Never	7.31%	401
Don't know	11.95%	655
TOTAL		5,483



Yes - for my personal use

Yes - for my department /...

No

10%

20%

30%

Have you had to purchase items of PPE directly yourself, or received supplies as an external donation (e.g. charity, local firms), due to non-availability of official NHS procurement supplies?

Answered: 14.218



80%


90% 100%

ANSWER CHOICES	RESPONSES	
Yes - for my personal use	25.83%	3,672
Yes - for my department / practice	29.31%	4,168
No	52.48%	7,462
Total Respondents: 14.218		

50%

40%

Within the last week, have you reported or spoken out about any of these issues relating to COVID-19 to your employer or local health service management? Please tick as many as apply




All doctors

	REPORTED / SPOKEN OUT	NOT REPORTED / SPOKEN OUT	NO ISSUE TO REPORT	TOTAL
PPE shortages	18.71% 2,666	22.54% 3,211	58.75% 8,369	14,246
Staffing shortages	10.75% 1,527	11.62% 1,651	77.63% 11,026	14,204
Your personal situation (e.g. health concerns, redeployment)	15.81% 2,253	12.29% 1,751	71.90% 10,244	14,248
Medicines shortages	6.87% 977	13.68% 1,945	79.46% 11,301	14,223
Testing for Coronavirus	20.87% 2,975	24.13% 3,439	55.00% 7,838	14,252




If you have not reported or spoken out about an issues, why was this? Please tick as many as apply.



ANSWER CHOICES	RESPONSES	
Fearful of speaking out	6.85%	930
Do not believe any action will be taken	30.14%	4,091
Insufficient protection and support for reporting	7.68%	1,043
Worried would negatively impact my career / training progression	7.51%	1,020
Asked or instructed not to speak out	1.99%	270
Threatened with sanctions if did speak out	1.55%	211
No issues / did report or speak out	66.00%	8,959
Total Respondents: 13,575		




Within the last week, have you, or a member of your household, tried to access testing for Coronavirus (in your place of work, local NHS, or online)?



ANSWER CHOICES	RESPONSES	
Yes - testing was accessible / timely / convenient	9.30%	1,326
Yes - but testing was not accessible / not timely / not convenient	6.83%	973
No - have not tried / not needed	82.87%	11,812
Prefer not to say	1.00%	143
TOTAL		14,254




Taking everything into account, do you feel safely protected from coronavirus infection in your place of work?



ANSWER CHOICES	RESPONSES	
Fully	31.32%	4,472
Partly	56.24%	8,030
Not at all	8.93%	1,275
Don't know	3.50%	500
TOTAL		14,277




How frequently, if at all, are you experiencing any shortages of medicines, medical gases (e.g. oxygen) or other therapeutics in your place of work?



ANSWER CHOICES	RESPONSES	
Always / most of the time	4.13%	579
Some of the time	23.97%	3,362
Never / hardly at all	42.16%	5,914
Don't know / Not applicable	29.75%	4,173
TOTAL		14,028


Which, if any, groups of medicines are you experiencing shortages of, compared with the situation pre-pandemic?



ANSWER CHOICES	RESPONSES	
Oxygen	11.49%	962
Analgesics	12.95%	1,084
Antibiotics	11.67%	977
Sedatives	11.11%	930
Opioids	15.12%	1,266
Anaesthetics	9.38%	785
HRT	27.27%	2,283
Inhalers	31.90%	2,671
Other groups (please specify)	38.43%	3,218
Total Respondents: 8,373		




Have any current, or expected future, shortages forced you to provide less effective treatment to your patients than you would normally?



ANSWER CHOICES	RESPONSES	
Yes, frequently	5.14%	708
Yes, occasionally	26.30%	3,620
No, never	68.56%	9,436
TOTAL		13,764




What impact is self-isolation having in your place of work with regard to staffing capacity and workload?



ANSWER CHOICES	RESPONSES	
Significantly reduced capacity / increased workload	14.74%	2,040
Slightly reduced capacity / increased workload	51.06%	7,065
No impact	26.62%	3,683
Don't know	7.59%	1,050
TOTAL		13,838




To what extent is prioritisation of patients with possible or confirmed COVID-19 in your place of work or the local NHS affecting the care available to those patients with no COVID-19 symptoms?



ANSWER CHOICES	RESPONSES	
Significantly worsening	30.01%	4,155
Slightly worsening	26.19%	3,626
Neither worsening nor improving	16.60%	2,299
Slightly improving	3.04%	421
Significantly improving	1.29%	179
Too soon to know	12.49%	1,729
Don't know	10.38%	1,437
TOTAL		13,846




During this pandemic, have you been redeployed into a different role (e.g. grade, specialty, place of work) to your usual one?



ANSWER CHOICES	RESPONSES	
Yes	25.47%	3,537
No	74.53%	10,349
TOTAL		13,886

Please answer Yes or No to the following questions about your redeployment. If you have been redeployed more than once, please answer according to your most recent experience.




All doctors

	YES	NO	NOT APPLICABLE	TOTAL
I was provided with an induction into the new role	37.87%	33.23%	28.90%	
	1,331	1,168	1,016	3,515
I was provided with training related to the new role	38.22%	31.77%	30.00%	
	1,339	1,113	1,051	3,503
I am required to work outside my competence in the new role	13.77%	73.83%	12.40%	
	482	2,584	434	3,500
I was given a choice whether to accept the redeployment	34.66%	53.66%	11.69%	
	1,213	1,878	409	3,500
I actively requested redeployment	24.16%	61.98%	13.86%	
	844	2,165	484	3,493
I know how long I will be redeployed for	17.39%	74.34%	8.27%	
	608	2,599	289	3,496




During your working hours within the last week, how often were you able to take your breaks in full?



ANSWER CHOICES	RESPONSES	
Always	42.56%	5,852
Usually	29.63%	4,074
Sometimes	13.22%	1,817
Rarely	7.03%	967
Never	3.87%	532
Not working within last week	3.69%	507
TOTAL		13,749




During this pandemic, do you consider that you are currently suffering from any of depression, anxiety, stress, burnout*, emotional distress or other mental health condition relating to or made worse by your work? (*Burnout is characterised by a state of emotional, mental and physical exhaustion caused by excessive and prolonged stress)



ANSWER CHOICES	RESPONSES	
Yes - and worse during this pandemic than before	28.48%	3,928
Yes - but no worse than before this pandemic	12.94%	1,785
No	50.17%	6,920
Don't know	4.92%	678
Prefer not to say	3.49%	481
TOTAL		13,792




To what extent do you feel able to access the support for your wellbeing that you would like?



ANSWER CHOICES	RESPONSES	
To a significant extent	14.21%	904
To some extent	42.98%	2,734
Not really / not at all	21.66%	1,378
Have not needed to access support	18.86%	1,200
Prefer not to say	2.28%	145
TOTAL		6,361

All doctors

Finally, we would like to ask you which one of the following areas relating to the Coronavirus pandemic is of most concern / top priority to you at the current time.



ANSWER CHOICES	RESPONSES	
PPE shortages or quality	20.38%	2,687
Medicines shortages or quality	0.96%	126
Testing for self or family	5.69%	750
Redeployment or working outside competence	4.13%	544
Lack of support for your wellbeing	2.98%	393
Staffing shortages	2.59%	341
Longer-term impact of new working arrangements	22.86%	3,014
Longer-term impact on patient clinical demand	40.42%	5,330
TOTAL		13,185