


In which setting do you currently mainly work?


Answered: 12,548



	HOSPITAL (SECONDARY CARE, ACUTE, TERTIARY, TEACHING)	GENERAL PRACTICE / PRIMARY CARE / COMMUNITY	OTHER	TOTAL
Q3: East Midlands (A)	59.67% 543 BCD	36.70% 334 BCD	3.63% 33 DJ	7.25% 910
Q3: East of England (B)	49.16% 674 ACDEFGHIJ	48.29% 662 ACEFGHIJ	2.55% 35 C	10.93% 1,371
Q3: London (C)	65.32% 1,533 ABDEFGHJ	30.59% 718 ABDEFGHIJ	4.09% 96 BDEGIJ	18.70% 2,347
Q3: North East (D)	53.84% 449 ABCEFGHI	44.36% 370 ACEFGHIJ	1.80% 15 ACFH	6.65% 834
Q3: North West (E)	62.36% 1,130 BCDJ	34.93% 633 BCDJ	2.70% 49 C	14.44% 1,812
Q3: South Central (F)	61.02% 443 BCD	35.12% 255 BCDJ	3.86% 28 DJ	5.79% 726
Q3: South East Coast (G)	60.51% 455 BCD	36.97% 278 BCD	2.53% 19 C	5.99% 752
Q3: South West (H)	60.76% 819 BCD	35.68% 481 BCDJ	3.56% 48 DJ	10.74% 1,348
Q3: West Midlands (I)	63.10% 732 BDJ	34.31% 398 BCDJ	2.59% 30 C	9.24% 1,160
Q3: Yorkshire (J)	57.76% 744 BCEI	40.06% 516 BCDEFHI	2.17% 28 ACFH	10.26% 1,288
Total Respondents	7,522	4,645	381	12,548

What grade best describes your current post?

Answered: 12,548




- Consultant
- Staff, Associate Specialist and Specialty doctor (SAS)
- Junior doctor
- GP contractor / principal
- Salaried GP
- GP locum
- GP trainee
- Medical academic (consultant)
- Medical academic (GP)
- Medical academic (trainee)
- Public health (consultant)
- Public health (trainee)
- Medical student working in the NHS
- Retired doctor returning to NHS (working in hospital)
- Retired doctor returning to NHS (working in general practice)
- Returning (other than retired) doctor (working in hospital)
- Returning (other than retired) doctor (working in general practice)
- Locally employed / trust grade doctor
- Locum junior doctor
- Armed Forces doctor (working in hospital)
- Armed Forces doctor (working in general practice)
- Other

4 May 2020 BMA COVID-19 tracker survey

	CONSULTANT	STAFF, ASSOCIATE SPECIALIST AND SPECIALTY DOCTOR (SAS)	JUNIOR DOCTOR	GP CONTRACTOR / PRINCIPAL	SALARIED GP	GP LOCUM	GP TRAINEE	MEDICAL ACADEMIC (CONSULTANT)	MEDICAL ACADEMIC (GP)	MEDICAL ACADEMIC (TRAINEE)	PUBL HEAL (CON
Q3: East Midlands (A)	30.99% 282 BCDFH	8.02% 73 BD	20.77% 189 B	16.59% 151 BCD	9.45% 86	3.19% 29 B	5.38% 49 CJ	0.44% 4	0.33% 3	0.33% 3	
Q3: East of England (B)	26.55% 364 ACEFGHIJ	5.54% 76 ACEGHJ	16.63% 228 ACDEGIJ	25.53% 350 ACEFGHIJ	12.04% 165 CE	5.03% 69 AFHI	4.60% 63 CJ	0.29% 4 C	0.22% 3	0.51% 7	
Q3: London (C)	35.62% 836 ABDJ	7.46% 175 B	22.97% 539 BEFHI	10.74% 252 ABDEFGHIJ	9.16% 215 BDJ	4.35% 102 H	2.98% 70 ABEI	1.02% 24 BDEGHJ	0.17% 4	0.94% 22 EGHJ	
Q3: North East (D)	26.50% 221 ACEFGHI	5.64% 47 AEH	21.22% 177 BH	22.78% 190 ACEFGHI	11.99% 100 CE	3.96% 33	3.84% 32 I	0.12% 1 CI	0.00% 0	0.36% 3	
Q3: North West (E)	34.00% 616 BDHJ	7.78% 141 BD	19.70% 357 BC	15.56% 282 BCDJ	9.33% 169 BD	4.08% 74	4.47% 81 CIJ	0.28% 5 C	0.22% 4	0.33% 6 C	
Q3: South Central (F)	35.95% 261 ABDJ	5.65% 41 H	19.15% 139 C	16.12% 117 BCD	10.74% 78	2.89% 21 B	3.44% 25 I	0.55% 4 GJ	0.00% 0	0.28% 2	
Q3: South East Coast (G)	33.78% 254 BD	7.98% 60 B	20.35% 153 B	15.96% 120 BCD	9.57% 72	4.65% 35 H	3.46% 26 I	0.00% 0 CFI	0.00% 0	0.13% 1 C	
Q3: South West (H)	37.39% 504 ABDEJ	8.16% 110 BDF	17.73% 239 CDJ	14.91% 201 BCDJ	10.53% 142	2.97% 40 BCG	3.71% 50 I	0.15% 2 CI	0.07% 1	0.15% 2 C	
Q3: West Midlands (I)	33.88% 393 BD	6.29% 73	19.66% 228 BC	13.71% 159 BCDJ	10.60% 123	3.02% 35 B	6.21% 72 CDEFGHJ	0.78% 9 DGHJ	0.17% 2	0.60% 7	
Q3: Yorkshire (J)	30.36% 391 BCEFH	7.69% 99 B	20.81% 268 BH	19.41% 250 BCEHI	11.18% 144 C	3.65% 47	2.87% 37 ABEI	0.08% 1 CFI	0.23% 3	0.23% 3 C	
Total Respondents	4,122	895	2,517	2,072	1,294	485	505	54	20	56	13

We first want to ask about PPE for high-risk procedures to be used by healthcare workers delivering or assisting with an aerosol generating procedure (AGP) including in Intensive Care Units or the hot zone of an Emergency Department. Do you work in an AGP area?



Answered: 7,462





	YES	NO	TOTAL
Q3: East Midlands (A)	57.41% 310	42.59% 230	7.24% 540
Q3: East of England (B)	53.07% 354	46.93% 313	8.94% 667
Q3: London (C)	54.69% 833	45.31% 690	20.41% 1,523
Q3: North East (D)	53.35% 239	46.65% 209	6.00% 448
Q3: North West (E)	55.32% 619	44.68% 500	15.00% 1,119
Q3: South Central (F)	52.49% 232	47.51% 210	5.92% 442
Q3: South East Coast (G)	56.98% 257	43.02% 194	6.04% 451
Q3: South West (H)	52.46% 426	47.54% 386	10.88% 812
Q3: West Midlands (I)	55.31% 401	44.69% 324	9.72% 725
Q3: Yorkshire (J)	54.69% 402	45.31% 333	9.85% 735
Total Respondents	4,073	3,389	7,462

Over the last week, have you had adequate supplies or shortages of the following PPE when working in an AGP area?



Answered: 3,956




4 May 2020 BMA COVID-19 tracker survey



4 May 2020 BMA COVID-19 tracker survey



4 May 2020 BMA COVID-19 tracker survey



FFP3 masks / respirators						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	70.10% 211 DHJ	21.59% 65 H	1.66% 5	4.65% 14	1.99% 6	7.61% 301
Q3: East of England (B)	64.69% 218 DFH	26.41% 89 DFGH	2.37% 8	5.64% 19 H	0.89% 3	8.52% 337
Q3: London (C)	67.66% 546 DFH	23.30% 188 DH	1.49% 12	5.82% 47 H	1.73% 14	20.40% 807
Q3: North East (D)	78.97% 184 ABCEGIJ	16.31% 38 BCEJ	1.29% 3	3.00% 7	0.43% 1	5.89% 233
Q3: North West (E)	68.00% 408 DFH	24.83% 149 DFH	1.50% 9	4.67% 28	1.00% 6	15.17% 600
Q3: South Central (F)	75.11% 169 BCEJ	18.22% 41 BEJ	0.44% 1 G	5.33% 12	0.89% 2	5.69% 225
Q3: South East Coast (G)	70.87% 180 DHJ	18.90% 48 BJ	2.76% 7 F	6.69% 17 H	0.79% 2	6.42% 254
Q3: South West (H)	79.52% 330 ABCEGIJ	15.42% 64 ABCEIJ	1.45% 6	2.65% 11 BCGJ	0.96% 4	10.49% 415
Q3: West Midlands (I)	70.65% 272 DHJ	22.34% 86 H	1.56% 6	4.42% 17	1.04% 4	9.73% 385
Q3: Yorkshire (J)	62.94% 248 ADFGHI	27.16% 107 DFGH	1.27% 5	6.60% 26 H	2.03% 8	9.96% 394

4 May 2020 BMA COVID-19 tracker survey

FFP2 masks / respirators						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	43.99% 128 F	18.56% 54 BCDEFGHIJ	5.84% 17 F	16.84% 49 BG	14.78% 43 EHI	7.36% 291
Q3: East of England (B)	41.49% 139 DFH	12.24% 41 ADFH	4.18% 14 F	23.88% 80 A	18.21% 61 I	8.47% 335
Q3: London (C)	44.11% 348 F	11.91% 94 ADFH	4.18% 33 F	21.04% 166	18.76% 148 I	19.94% 789
Q3: North East (D)	50.22% 114 BEI	7.05% 16 ABCE	3.96% 9 F	22.91% 52	15.86% 36 I	5.74% 227
Q3: North West (E)	40.58% 239 DFHJ	12.56% 74 ADFH	3.90% 23 F	21.05% 124	21.90% 129 AG	14.89% 589
Q3: South Central (F)	53.64% 118 ABCEGI	6.82% 15 ABCE	0.91% 2 ABCDEGI	20.91% 46	17.73% 39 I	5.56% 220
Q3: South East Coast (G)	44.27% 112 F	10.67% 27 AH	4.74% 12 F	25.69% 65 AJ	14.62% 37 EHI	6.40% 253
Q3: South West (H)	49.12% 195 BEI	5.79% 23 ABCEGJ	3.02% 12	21.16% 84	20.91% 83 AG	10.04% 397
Q3: West Midlands (I)	40.85% 154 DFHJ	9.28% 35 A	3.71% 14 F	20.42% 77	25.73% 97 ABCDGJ	9.53% 377
Q3: Yorkshire (J)	47.92% 184 EI	11.20% 43 AH	3.39% 13	18.49% 71 G	19.01% 73 I	9.71% 384
Long-sleeved disposable gowns						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	56.52% 169 BDH	32.11% 96 BDH	4.68% 14	4.68% 14	2.01% 6 D	7.56% 299
Q3: East of England (B)	48.08% 163 ADEFHI	41.30% 140 ADEFHI	5.01% 17 D	5.01% 17	0.59% 2	8.57% 339
Q3: London (C)	50.25% 405 DEFHI	38.09% 307 DEFHI	4.96% 40 D	5.09% 41	1.61% 13	20.37% 806
Q3: North East (D)	68.53% 159 ABCGIJ	22.41% 52 ABCGIJ	1.72% 4 BC	7.33% 17 HI	0.00% 0 A	5.86% 232
Q3: North West (E)	62.33% 374 BCGHJ	27.50% 165 BCGJ	3.33% 20	5.50% 33	1.33% 8	15.17% 600
Q3: South Central (F)	63.72% 144 BCGJ	26.55% 60 BCGJ	3.10% 7	5.75% 13	0.88% 2	5.71% 226
Q3: South East Coast (G)	50.99% 129 DEFHI	37.55% 95 DEFH	3.95% 10	7.11% 18 H	0.40% 1	6.40% 253
Q3: South West (H)	68.67% 285 ABCEGIJ	23.86% 99 ABCEGIJ	3.37% 14	3.37% 14 DG	0.72% 3	10.49% 415
Q3: West Midlands (I)	60.63% 231 BCDGHJ	30.18% 115 BCDHJ	4.46% 17	3.67% 14 D	1.05% 4	9.63% 381
Q3: Yorkshire (J)	51.27% 202 DEFHI	37.82% 149 DEFHI	3.30% 13	6.09% 24	1.52% 6	9.96% 394

4 May 2020 BMA COVID-19 tracker survey


Gloves						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	94.31% 282 G	2.68% 8	0.00% 0	2.01% 6	1.00% 3	7.56% 299
Q3: East of England (B)	90.21% 304	5.64% 19 C	0.00% 0	3.56% 12 H	0.59% 2	8.52% 337
Q3: London (C)	93.03% 748	3.11% 25 B	0.12% 1	2.49% 20	1.24% 10	20.32% 804
Q3: North East (D)	93.56% 218	4.72% 11	0.00% 0	1.72% 4	0.00% 0	5.89% 233
Q3: North West (E)	92.83% 557	4.00% 24	0.00% 0	2.33% 14	0.83% 5	15.17% 600
Q3: South Central (F)	91.59% 207	5.31% 12	0.00% 0	2.65% 6	0.44% 1	5.71% 226
Q3: South East Coast (G)	89.76% 228 A	5.12% 13	0.00% 0	4.72% 12 HIJ	0.39% 1	6.42% 254
Q3: South West (H)	93.73% 389	4.10% 17	0.48% 2	0.96% 4 BG	0.72% 3	10.49% 415
Q3: West Midlands (I)	93.18% 355	4.20% 16	0.26% 1	1.84% 7 G	0.52% 2	9.63% 381
Q3: Yorkshire (J)	92.62% 364	4.83% 19	0.25% 1	1.53% 6 G	0.76% 3	9.93% 393
Disposable goggles						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	53.69% 160 BC	23.49% 70 DF	6.71% 20 C	9.06% 27	7.05% 21 G	7.53% 298
Q3: East of England (B)	43.95% 149 ADFH	26.84% 91 DFH	10.03% 34	12.09% 41 CH	7.08% 24 G	8.57% 339
Q3: London (C)	44.08% 354 ADFHJ	26.28% 211 DEFH	13.82% 111 AFH	8.22% 66 BE	7.60% 61 G	20.30% 803
Q3: North East (D)	53.45% 124 BC	15.52% 36 ABCGIJ	10.78% 25	11.64% 27	8.62% 20 G	5.86% 232
Q3: North West (E)	49.16% 293 H	21.48% 128 C	10.57% 63	11.41% 68 CH	7.38% 44 G	15.07% 596
Q3: South Central (F)	56.64% 128 BCI	15.49% 35 ABCGIJ	6.64% 15 C	10.62% 24	10.62% 24 GH	5.71% 226
Q3: South East Coast (G)	49.80% 126 H	25.30% 64 DF	10.28% 26	11.86% 30 H	2.77% 7 ABCDEFGFIJ	6.40% 253
Q3: South West (H)	60.44% 249 BCEGIJ	19.42% 80 BC	7.77% 32 C	7.28% 30 BEG	5.10% 21 F	10.41% 412
Q3: West Midlands (I)	48.29% 184 FH	24.67% 94 DF	10.76% 41	9.71% 37	6.56% 25 G	9.63% 381
Q3: Yorkshire (J)	50.89% 200 CH	22.39% 88 DF	9.92% 39	10.43% 41	6.36% 25 G	9.93% 393

4 May 2020 BMA COVID-19 tracker survey

Full-face visors						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	54.36% 162 DEFHJ	30.87% 92 DF	5.37% 16 FGJ	8.05% 24 DH	1.34% 4	7.53% 298
Q3: East of England (B)	56.93% 193 DFH	27.14% 92 D	5.01% 17 FJ	9.14% 31 DEHJ	1.77% 6	8.57% 339
Q3: London (C)	54.41% 438 DEFHJ	32.42% 261 DEF	5.47% 44 DEFGHIJ	5.96% 48 DH	1.74% 14	20.35% 805
Q3: North East (D)	76.39% 178 ABCEGHIJ	18.03% 42 ABCEGHIJ	2.15% 5 C	2.58% 6 ABCG	0.86% 2	5.89% 233
Q3: North West (E)	62.83% 377 ACD	27.33% 164 CD	3.17% 19 C	5.33% 32 B	1.33% 8	15.17% 600
Q3: South Central (F)	68.89% 155 ABCGI	23.11% 52 ACG	0.89% 2 ABC	5.33% 12	1.78% 4	5.69% 225
Q3: South East Coast (G)	58.27% 148 DF	31.50% 80 DF	1.97% 5 AC	6.69% 17 DH	1.57% 4	6.42% 254
Q3: South West (H)	65.46% 271 ABCD	27.05% 112 D	2.66% 11 C	3.14% 13 ABCG	1.69% 7	10.47% 414
Q3: West Midlands (I)	60.05% 230 DF	29.77% 114 D	2.87% 11 C	5.48% 21	1.83% 7	9.68% 383
Q3: Yorkshire (J)	63.10% 248 ACD	27.74% 109 D	1.78% 7 ABC	5.34% 21 B	2.04% 8	9.93% 393
Scrubs						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	43.81% 131 DEFGHIJ	45.48% 136 DEFGHIJ	5.35% 16 CF	4.01% 12	1.34% 4	7.56% 299
Q3: East of England (B)	51.48% 174 DEFHIJ	40.53% 137 DEFHIJ	3.25% 11	3.25% 11	1.48% 5	8.54% 338
Q3: London (C)	47.02% 379 DEFGHIJ	45.66% 368 DEFGHIJ	2.61% 21 AI	2.61% 21	2.11% 17	20.37% 806
Q3: North East (D)	68.53% 159 ABCEGIJ	24.14% 56 ABCGJ	2.59% 6	2.59% 6	2.16% 5	5.86% 232
Q3: North West (E)	61.17% 367 ABCDH	30.83% 185 ABCH	3.50% 21	2.83% 17	1.67% 10	15.17% 600
Q3: South Central (F)	63.27% 143 ABCH	27.88% 63 ABC	1.77% 4 AI	4.87% 11	2.21% 5	5.71% 226
Q3: South East Coast (G)	56.69% 144 ACDH	35.83% 91 ACDH	2.76% 7	4.33% 11	0.39% 1	6.42% 254
Q3: South West (H)	72.05% 299 ABCEFGIJ	21.45% 89 ABCEGIJ	3.37% 14	2.17% 9	0.96% 4	10.49% 415
Q3: West Midlands (I)	59.95% 229 ABCDH	29.32% 112 ABCH	5.24% 20 CF	3.40% 13	2.09% 8	9.66% 382
Q3: Yorkshire (J)	60.31% 237 ABCDH	31.55% 124 ABCDH	2.80% 11	3.31% 13	2.04% 8	9.93% 393

Have you ever felt pressured when working in an AGP area to see a patient without adequate protection?



Answered: 3,935





	OFTEN	SOMETIMES	NEVER	TOTAL
Q3: East Midlands (A)	10.67% 32 DFH	22.00% 66 D	67.33% 202 BDFH	7.62% 300
Q3: East of England (B)	13.35% 45 CDEFHJ	27.30% 92 DEFH	59.35% 200 ADEFHJ	8.56% 337
Q3: London (C)	8.96% 72 BDFH	27.24% 219 DEFH	63.81% 513 DEFH	20.43% 804
Q3: North East (D)	4.29% 10 ABCGI	14.16% 33 ABCEGIJ	81.55% 190 ABCEGIJ	5.92% 233
Q3: North West (E)	7.00% 42 B	21.00% 126 BCD	72.00% 432 BCDGH	15.25% 600
Q3: South Central (F)	4.44% 10 ABCI	18.22% 41 BCG	77.33% 174 ABCEGIJ	5.72% 225
Q3: South East Coast (G)	8.76% 22 D	27.09% 68 DFH	64.14% 161 DEFH	6.38% 251
Q3: South West (H)	5.08% 21 ABCI	16.46% 68 BCGIJ	78.45% 324 ABCEGIJ	10.50% 413
Q3: West Midlands (I)	9.42% 36 DFH	24.08% 92 DH	66.49% 254 BDFH	9.71% 382
Q3: Yorkshire (J)	7.44% 29 B	24.62% 96 DH	67.95% 265 BDFH	9.91% 390
Total Respondents	319	901	2,715	3,935

We next want to ask about PPE in other (non-AGP) settings to be used by healthcare workers who are in contact with patients with possible or confirmed COVID-19. Over the last week, have you had adequate supplies or shortages of the following PPE?


Answered: 7,051



4 May 2020 BMA COVID-19 tracker survey



4 May 2020 BMA COVID-19 tracker survey



Fluid-repellent facemasks						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	66.80% 340 HJ	14.15% 72 FH	3.93% 20 D	8.84% 45 J	6.29% 32 C	7.22% 509
Q3: East of England (B)	64.32% 402 DEFHJ	16.32% 102 FHJ	4.16% 26 D	9.76% 61 HJ	5.44% 34 C	8.86% 625
Q3: London (C)	62.29% 892 DEFHIJ	15.29% 219 FH	3.28% 47 D	8.94% 128 HJ	10.20% 146 ABDEHIJ	20.31% 1,432
Q3: North East (D)	71.40% 307 BCG	13.49% 58 FH	1.40% 6 ABCG	7.44% 32	6.28% 27 C	6.10% 430
Q3: North West (E)	69.64% 734 BCGH	13.47% 142 FH	3.04% 32	7.78% 82	6.07% 64 C	14.95% 1,054
Q3: South Central (F)	72.58% 307 BCG	8.75% 37 ABCDEGI	2.84% 12	8.51% 36	7.33% 31	6.00% 423
Q3: South East Coast (G)	62.70% 269 DEFHJ	16.55% 71 FHJ	3.73% 16 D	9.09% 39 J	7.93% 34	6.08% 429
Q3: South West (H)	75.55% 584 ABCEGI	8.15% 63 ABCDEGIJ	2.33% 18	6.47% 50 BC	7.50% 58 C	10.96% 773
Q3: West Midlands (I)	68.09% 461 CH	13.88% 94 FH	3.25% 22	7.53% 51	7.24% 49 C	9.60% 677
Q3: Yorkshire (J)	72.23% 502 ABCG	12.23% 85 BGH	3.02% 21	5.76% 40 ABCG	6.76% 47 C	9.86% 695

4 May 2020 BMA COVID-19 tracker survey


Aprons						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	78.19% 398 DH	7.86% 40 H	1.57% 8 DHI	6.29% 32 DJ	6.09% 31 C	7.22% 509
Q3: East of England (B)	77.44% 484 DHJ	9.44% 59 H	0.96% 6 I	6.88% 43 DHJ	5.28% 33 C	8.86% 625
Q3: London (C)	75.61% 1,082 DEFHIJ	8.74% 125 H	1.05% 15 I	5.66% 81 D	8.94% 128 ABDEHIJ	20.29% 1,431
Q3: North East (D)	84.81% 363 ABCGI	6.54% 28	0.23% 1 AE	3.04% 13 ABCG	5.37% 23 C	6.07% 428
Q3: North West (E)	80.63% 849 CH	7.69% 81 H	1.42% 15 DHI	4.75% 50	5.51% 58 C	14.93% 1,053
Q3: South Central (F)	80.38% 340 CH	7.09% 30	0.47% 2	5.44% 23	6.62% 28	6.00% 423
Q3: South East Coast (G)	76.10% 328 DHJ	8.82% 38 H	0.70% 3	6.96% 30 DHJ	7.42% 32	6.11% 431
Q3: South West (H)	84.84% 655 ABCEFGI	4.66% 36 ABCEGIJ	0.39% 3 AE	4.15% 32 BG	5.96% 46 C	10.95% 772
Q3: West Midlands (I)	80.03% 541 CDH	8.58% 58 H	0.15% 1 ABCEJ	5.18% 35	6.07% 41 C	9.59% 676
Q3: Yorkshire (J)	82.42% 572 BCG	7.78% 54 H	1.01% 7 I	3.75% 26 ABG	5.04% 35 C	9.84% 694
Gloves						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	86.22% 438	2.36% 12	0.20% 1	5.71% 29 DJ	5.51% 28 C	7.20% 508
Q3: East of England (B)	87.02% 543 C	2.88% 18	0.16% 1	5.13% 32 J	4.81% 30 C	8.85% 624
Q3: London (C)	83.58% 1,196 BDEHJ	3.07% 44	0.42% 6	4.47% 64	8.46% 121 ABDEHIJ	20.29% 1,431
Q3: North East (D)	89.98% 386 CG	2.56% 11	0.00% 0	2.80% 12 A	4.66% 20 C	6.08% 429
Q3: North West (E)	87.17% 917 C	3.42% 36	0.10% 1	4.18% 44	5.13% 54 C	14.92% 1,052
Q3: South Central (F)	87.00% 368	1.89% 8	0.24% 1	4.49% 19	6.38% 27	6.00% 423
Q3: South East Coast (G)	83.95% 361 DJ	3.95% 17	0.23% 1	5.12% 22	6.74% 29	6.10% 430
Q3: South West (H)	87.95% 679 C	2.33% 18	0.26% 2	3.63% 28	5.83% 45 C	10.95% 772
Q3: West Midlands (I)	86.20% 581 J	3.56% 24	0.30% 2	4.15% 28	5.79% 39 C	9.56% 674
Q3: Yorkshire (J)	89.78% 624 CGI	3.02% 21	0.00% 0	2.88% 20 AB	4.32% 30 C	9.86% 695

4 May 2020 BMA COVID-19 tracker survey

Eye protection						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	54.81% 279 BCGH	22.79% 116 G	5.70% 29 BC	10.41% 53	6.29% 32 C	7.22% 509
Q3: East of England (B)	48.16% 301 ADFGHJ	23.84% 149 FGH	9.76% 61 ADFHJ	12.48% 78 DHJ	5.76% 36 CG	8.86% 625
Q3: London (C)	43.75% 626 ADEFHIJ	24.88% 356 FH	9.64% 138 ADEFHIJ	11.11% 159 H	10.62% 152 ABDEHJ	20.29% 1,431
Q3: North East (D)	60.47% 260 BCEGI	21.16% 91 GI	3.72% 16 BCEG	8.60% 37 B	6.05% 26 C	6.10% 430
Q3: North West (E)	51.81% 545 CDFGH	23.10% 243 FGH	7.32% 77 CDH	10.84% 114 H	6.94% 73 C	14.92% 1,052
Q3: South Central (F)	58.39% 247 BCEGI	18.20% 77 BCEGIJ	6.15% 26 BC	8.75% 37	8.51% 36	6.00% 423
Q3: South East Coast (G)	41.53% 179 ABDEFHIJ	29.47% 127 ABDEFH	8.58% 37 DHJ	11.37% 49 H	9.05% 39 B	6.11% 431
Q3: South West (H)	61.27% 473 ABCEGIJ	18.91% 146 BCEGIJ	4.27% 33 BCEG	7.90% 61 BCEG	7.64% 59 C	10.95% 772
Q3: West Midlands (I)	49.19% 333 CDFGHJ	26.59% 180 DFH	5.76% 39 BC	10.19% 69	8.27% 56	9.60% 677
Q3: Yorkshire (J)	55.19% 383 BCGHI	24.35% 169 FH	5.48% 38 BCG	8.93% 62 B	6.05% 42 C	9.84% 694
Scrubs						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	32.09% 163 BCDEFGHIJ	36.02% 183 DEFHIJ	14.17% 72 BCDEFGHJ	9.45% 48 CDHJ	8.27% 42 C	7.20% 508
Q3: East of England (B)	41.05% 257 ADEFHJ	36.74% 230 DEFHIJ	7.67% 48 AI	7.51% 47 H	7.03% 44 CI	8.88% 626
Q3: London (C)	38.10% 546 ADEFHJ	35.87% 514 DEFHIJ	7.47% 107 AI	6.77% 97 AH	11.79% 169 ABDEHJ	20.32% 1,433
Q3: North East (D)	56.98% 245 ABCEGIJ	23.72% 102 ABCEGI	7.21% 31 AI	4.65% 20 AEG	7.44% 32 CI	6.10% 430
Q3: North West (E)	46.86% 493 ABCDGHI	29.37% 309 ABCDH	7.41% 78 AI	7.98% 84 DHJ	8.37% 88 CI	14.92% 1,052
Q3: South Central (F)	51.06% 216 ABCGHI	24.82% 105 ABCGI	6.86% 29 AI	7.57% 32 H	9.69% 41	6.00% 423
Q3: South East Coast (G)	40.14% 173 ADEFHJ	32.25% 139 DFH	9.05% 39 AH	8.82% 38 DHJ	9.74% 42	6.11% 431
Q3: South West (H)	58.68% 453 ABCEFGIJ	22.15% 171 ABCEGIJ	5.57% 43 AGIJ	4.66% 36 ABCEFG	8.94% 69 C	10.95% 772
Q3: West Midlands (I)	39.70% 268 ADEFHJ	30.52% 206 ABCDFH	11.41% 77 BCDEFHJ	6.67% 45	11.70% 79 BDE	9.57% 675
Q3: Yorkshire (J)	49.28% 341 ABCDGHI	28.03% 194 ABCH	8.24% 57 AHI	5.49% 38 AEG	8.96% 62 C	9.81% 692

Have you ever felt pressured when working in other (non-AGP) settings to see a patient without adequate protection?


Answered: 7,009



	OFTEN	SOMETIMES	NEVER	TOTAL
Q3: East Midlands (A)	8.88% 45 BDF	23.08% 117 BDH	68.05% 345 BDFH	7.23% 507
Q3: East of England (B)	13.34% 83 ACDEFHIJ	29.26% 182 ADEFGHJ	57.40% 357 ACDEFHIJ	8.87% 622
Q3: London (C)	9.49% 135 BDFHJ	26.77% 381 DEFH	63.74% 907 BDEFHJ	20.30% 1,423
Q3: North East (D)	3.96% 17 ABCEGI	16.08% 69 ABCEGIJ	79.95% 343 ABCEGIJ	6.12% 429
Q3: North West (E)	8.62% 90 BDF	23.28% 243 BCDFH	68.10% 711 BCDFGH	14.90% 1,044
Q3: South Central (F)	4.05% 17 ABCEGI	18.57% 78 BCEGHIJ	77.38% 325 ABCEGIJ	5.99% 420
Q3: South East Coast (G)	11.19% 48 DFHJ	26.81% 115 DFH	62.00% 266 DEFHJ	6.12% 429
Q3: South West (H)	6.52% 50 BCGI	14.21% 109 ABCEFGIJ	79.27% 608 ABCEGIJ	10.94% 767
Q3: West Midlands (I)	9.78% 66 BDFHJ	24.89% 168 DFH	65.33% 441 BDFH	9.63% 675
Q3: Yorkshire (J)	6.35% 44 BCGI	24.68% 171 DFH	68.98% 478 BCDFGH	9.89% 693
Total Respondents	595	1,633	4,781	7,009

If you are required to wear an FFP3 (or FFP2) mask / respirator, are there adequate provisions in your place of work for these to be fit tested to ensure an adequate seal according to the manufacturers' guidance?


Answered: 6,974



	ALWAYS	USUALLY	RARELY	NEVER	NOT RELEVANT	TOTAL
Q3: East Midlands (A)	27.58% 139 CDEH	39.48% 199 B	12.90% 65 BCDEHI	7.74% 39 DEFHI	12.30% 62 F	7.23% 504
Q3: East of England (B)	29.50% 182 CDEH	47.33% 292 ACDFH	7.94% 49 ACGJ	5.19% 32 CEH	10.05% 62 CFH	8.85% 617
Q3: London (C)	17.67% 250 ABDEFGHIJ	35.27% 499 BEGHIJ	20.78% 294 ABDEFGHIJ	10.74% 152 BDEFGHIJ	15.55% 220 BDEGIJ	20.29% 1,415
Q3: North East (D)	43.03% 182 ABCEFGHIJ	33.81% 143 BEGHIJ	8.51% 36 ACGJ	4.49% 19 ACEH	10.17% 43 CFH	6.07% 423
Q3: North West (E)	35.76% 373 ABCDGJ	42.57% 444 CDF	7.77% 81 ACGJ	2.40% 25 ABCDGJ	11.51% 120 CFH	14.96% 1,043
Q3: South Central (F)	30.17% 127 CDE	36.34% 153 BEIJ	10.93% 46 CH	4.51% 19 ACEH	18.05% 76 ABDEGIJ	6.04% 421
Q3: South East Coast (G)	28.81% 123 CDEH	41.69% 178 CD	14.52% 62 BCDEHI	5.62% 24 CEH	9.37% 40 CFH	6.12% 427
Q3: South West (H)	34.94% 268 ABCDGJ	41.85% 321 BCD	6.78% 52 ACFGJ	1.56% 12 ABCDGJ	14.86% 114 BDEGIJ	11.00% 767
Q3: West Midlands (I)	32.19% 216 CDJ	45.16% 303 CDF	8.64% 58 ACGJ	4.62% 31 ACEH	9.39% 63 CFH	9.62% 671
Q3: Yorkshire (J)	25.36% 174 CDEHI	43.29% 297 CDF	14.87% 102 BCDEHI	5.25% 36 CEH	11.22% 77 CFH	9.84% 686
Total Respondents	2,034	2,829	845	389	877	6,974

If you have been fit tested for a mask/respirator, which of the following best describes your experience?

Answered: 6,962





4 May 2020 BMA COVID-19 tracker survey



	I PASSED THE FIT TESTING FIRST TIME	I HAD TO TRY ONE OR MORE ALTERNATIVE MASKS/RESPIRATOR BEFORE PASSING	I FAILED THE FIT TESTING	I HAVE NOT BEEN FIT TESTED	I DO NOT NEED TO BE FIT TESTED	TOTAL
Q3: East Midlands (A)	42.74% 215 BCHI	15.51% 78 DEIJ	9.34% 47 D	23.86% 120 BCDEHIJ	8.55% 43 C	7.22% 503
Q3: East of England (B)	49.84% 308 ACEFG	19.58% 121 CDE	9.06% 56 D	15.05% 93 ACFG	6.47% 40 CF	8.88% 618
Q3: London (C)	29.56% 418 ABDEFGHIJ	13.15% 186 BDEGHIJ	8.42% 119 D	36.78% 520 ABDEFGHIJ	12.09% 171 ABDEGHIJ	20.31% 1,414
Q3: North East (D)	44.92% 190 CH	25.77% 109 ABCFGHJ	5.44% 23 ABCH	17.26% 73 ACEGH	6.62% 28 CF	6.08% 423
Q3: North West (E)	43.42% 452 BCHI	28.82% 300 ABCFGHIJ	7.59% 79	13.26% 138 ACDFGJ	6.92% 72 CF	14.95% 1,041
Q3: South Central (F)	42.72% 179 BCHI	16.71% 70 DEI	6.92% 29	21.48% 90 BCEHI	12.17% 51 BDEGHIJ	6.02% 419
Q3: South East Coast (G)	42.22% 179 BCHI	18.63% 79 CDE	8.25% 35	23.82% 101 BCDEHIJ	7.08% 30 CF	6.09% 424
Q3: South West (H)	51.70% 395 ACDEFGJ	18.72% 143 CDE	8.90% 68 D	12.17% 93 ACDFGJ	8.51% 65 CF	10.97% 764
Q3: West Midlands (I)	49.55% 332 ACEFG	22.69% 152 ACEF	6.87% 46	14.48% 97 ACFGJ	6.42% 43 CF	9.62% 670
Q3: Yorkshire (J)	46.36% 318 CH	20.12% 138 ACDE	8.60% 59	18.80% 129 ACEGHI	6.12% 42 CF	9.85% 686
Total Respondents	2,986	1,376	561	1,454	585	6,962

We want to ask about PPE to be used by GPs who are in contact with patients with possible or confirmed COVID-19. Over the last week, have you had adequate NHS supplies or shortages of the following PPE?

Answered: 4,444



4 May 2020 BMA COVID-19 tracker survey




Fluid-repellent facemasks						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL	
Q3: East Midlands (A)	60.06% 194 CDH	19.81% 64 H	9.91% 32 D	10.22% 33 I	7.27% 323	
Q3: East of England (B)	62.05% 394 CDH	17.01% 108 EH	11.97% 76 DEFHJ	8.98% 57 CGHIJ	14.29% 635	
Q3: London (C)	52.44% 355 ABDEFHJ	20.24% 137 HJ	13.29% 90 DEFGHJ	14.03% 95 BD	15.23% 677	
Q3: North East (D)	72.32% 256 ABCEGIJ	16.10% 57 EH	5.08% 18 ABCI	6.50% 23 CEFGHIJ	7.97% 354	
Q3: North West (E)	59.77% 361 CDH	21.85% 132 BDHJ	6.95% 42 BC	11.42% 69 D	13.59% 604	
Q3: South Central (F)	66.12% 160 CI	16.12% 39 H	5.79% 14 BC	11.98% 29 D	5.45% 242	
Q3: South East Coast (G)	58.46% 152 DH	19.62% 51 H	7.69% 20 C	14.23% 37 BD	5.85% 260	
Q3: South West (H)	68.63% 315 ABCEGI	10.89% 50 ABCDEFGIJ	7.19% 33 BC	13.29% 61 BD	10.33% 459	
Q3: West Midlands (I)	56.58% 215 DFHJ	18.68% 71 H	9.47% 36 D	15.26% 58 ABD	8.55% 380	
Q3: Yorkshire (J)	64.29% 324 CDI	15.67% 79 CEH	6.35% 32 BC	13.69% 69 BD	11.34% 504	
Aprons						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL	
Q3: East Midlands (A)	76.71% 247 D	9.94% 32 FH	4.04% 13 H	9.32% 30 D	7.25% 322	
Q3: East of England (B)	80.31% 510 CDI	8.66% 55 C	2.52% 16	8.50% 54 CI	14.29% 635	
Q3: London (C)	71.01% 480 BDEFHJ	13.02% 88 BDFHIJ	3.99% 27 DEH	11.98% 81 BD	15.21% 676	
Q3: North East (D)	86.97% 307 ABCEFGHIJ	5.95% 21 CEG	1.70% 6 C	5.38% 19 ACEFGHIJ	7.94% 353	
Q3: North West (E)	78.61% 474 CD	9.78% 59 DFH	1.99% 12 C	9.62% 58 D	13.57% 603	
Q3: South Central (F)	80.91% 195 CD	4.98% 12 ACEG	2.90% 7	11.20% 27 D	5.42% 241	
Q3: South East Coast (G)	75.48% 197 D	11.49% 30 DFH	2.68% 7	10.34% 27 D	5.87% 261	
Q3: South West (H)	81.09% 373 CDI	6.09% 28 ACEG	1.52% 7 ACI	11.30% 52 D	10.35% 460	
Q3: West Midlands (I)	74.21% 282 BDH	8.95% 34 C	3.68% 14 H	13.16% 50 BD	8.55% 380	
Q3: Yorkshire (J)	79.13% 398 CD	7.36% 37 C	2.39% 12	11.13% 56 D	11.32% 503	

4 May 2020 BMA COVID-19 tracker survey

Gloves						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL	
Q3: East Midlands (A)	83.54% 269 D	5.59% 18	2.48% 8	8.39% 27	7.25% 322	
Q3: East of England (B)	85.78% 543 CI	4.90% 31	1.90% 12	7.42% 47 HI	14.24% 633	
Q3: London (C)	80.00% 540 BDEFH	6.96% 47 DFH	2.52% 17 H	10.52% 71 D	15.19% 675	
Q3: North East (D)	90.11% 319 ACEHIJ	3.11% 11 CEI	1.41% 5	5.37% 19 CHIJ	7.97% 354	
Q3: North West (E)	84.58% 510 CD	6.14% 37 DH	1.16% 7	8.13% 49	13.57% 603	
Q3: South Central (F)	85.95% 208 C	2.89% 7 CI	1.65% 4	9.50% 23	5.45% 242	
Q3: South East Coast (G)	85.00% 221	4.23% 11	1.54% 4	9.23% 24	5.85% 260	
Q3: South West (H)	85.43% 393 CD	2.83% 13 CEIJ	0.87% 4 C	10.87% 50 BD	10.35% 460	
Q3: West Midlands (I)	80.74% 306 BD	6.60% 25 DFH	1.32% 5	11.35% 43 BD	8.53% 379	
Q3: Yorkshire (J)	82.87% 416 D	5.38% 27 H	1.20% 6	10.56% 53 D	11.30% 502	
Eye protection						
	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL	
Q3: East Midlands (A)	49.07% 158 CDH	19.88% 64	20.50% 66 CH	10.56% 34 C	7.25% 322	
Q3: East of England (B)	50.32% 318 CDEHI	17.09% 108 E	21.99% 139 CH	10.60% 67 CDGI	14.22% 632	
Q3: London (C)	34.62% 234 ABDEFGHIJ	21.01% 142 DH	28.70% 194 ABDFGHJ	15.68% 106 ABDE	15.21% 676	
Q3: North East (D)	59.77% 211 ABCEFGIJ	15.30% 54 CE	18.13% 64 CEHI	6.80% 24 BCFGHIJ	7.94% 353	
Q3: North West (E)	42.76% 257 BCDFHJ	21.80% 131 BDH	25.12% 151 DFGHJ	10.32% 62 CGI	13.52% 601	
Q3: South Central (F)	51.24% 124 CDE	16.53% 40	18.18% 44 CEH	14.05% 34 D	5.45% 242	
Q3: South East Coast (G)	49.43% 129 CDH	16.48% 43	18.77% 49 CEH	15.33% 40 BDE	5.87% 261	
Q3: South West (H)	57.39% 264 ABCEGIJ	16.09% 74 CE	12.61% 58 ABCDEFGIJ	13.91% 64 D	10.35% 460	
Q3: West Midlands (I)	43.31% 165 BCDHJ	17.59% 67	24.15% 92 DHJ	14.96% 57 BDE	8.57% 381	
Q3: Yorkshire (J)	51.09% 258 CDEHI	17.82% 90	17.82% 90 CEHI	13.27% 67 D	11.36% 505	

Do you have sufficient PPE for safe contact with both possible / confirmed COVID-19 patients, and with "Non-COVID" symptoms patients?


Answered: 4,432



	ALWAYS	USUALLY	RARELY	NEVER	DON'T KNOW	TOTAL
Q3: East Midlands (A)	26.01% 84 CDFHJ	45.82% 148	12.07% 39 DFHJ	7.12% 23 H	8.98% 29 CGJ	7.29% 323
Q3: East of England (B)	27.92% 177 CDHJ	41.96% 266	10.73% 68 DFHJ	8.99% 57 DHJ	10.41% 66 C	14.31% 634
Q3: London (C)	20.38% 138 ABDEFGHIJ	41.65% 282	13.15% 89 DFGHJ	10.19% 69 DHJ	14.62% 99 ABDE	15.28% 677
Q3: North East (D)	40.40% 143 ABCEGI	42.09% 149	5.65% 20 ABCEI	4.52% 16 BCEGI	7.34% 26 CGHIJ	7.99% 354
Q3: North West (E)	27.74% 167 CDHJ	42.36% 255	10.13% 61 DFHJ	8.97% 54 DHJ	10.80% 65 C	13.58% 602
Q3: South Central (F)	34.30% 83 ACI	40.91% 99	5.37% 13 ABCEI	7.85% 19 H	11.57% 28	5.46% 242
Q3: South East Coast (G)	27.59% 72 CDHJ	42.15% 110	7.28% 19 C	8.43% 22 DH	14.56% 38 AD	5.89% 261
Q3: South West (H)	36.38% 167 ABCEGI	42.92% 197	5.88% 27 ABCEI	2.61% 12 ABCEFGI	12.20% 56 D	10.36% 459
Q3: West Midlands (I)	26.12% 99 CDFHJ	39.05% 148	11.08% 42 DFHJ	10.29% 39 DHJ	13.46% 51 D	8.55% 379
Q3: Yorkshire (J)	34.73% 174 ABCEGI	41.12% 206	5.59% 28 ABCEI	4.99% 25 BCEI	13.57% 68 AD	11.30% 501
Total Respondents	1,304	1,860	406	336	526	4,432

Have you had to purchase items of PPE directly yourself, or received supplies as an external donation (e.g. charity, local firms), due to non-availability of official NHS procurement supplies?



Answered: 11,356




	YES - FOR MY PERSONAL USE	YES - FOR MY DEPARTMENT / PRACTICE	NO	TOTAL
Q3: East Midlands (A)	27.56% 226 DH	31.46% 258 BCI	48.41% 397 BCEFH	7.76% 881
Q3: East of England (B)	28.27% 350 DH	39.18% 485 ACDEFGHIJ	43.54% 539 ACDEFGHIJ	12.10% 1,374
Q3: London (C)	26.85% 559 DH	27.33% 569 ABDJ	52.83% 1,100 ABHJ	19.62% 2,228
Q3: North East (D)	23.04% 179 ABCI	32.82% 255 BCI	52.64% 409 BH	7.42% 843
Q3: North West (E)	25.84% 423 HI	29.20% 478 B	54.06% 885 ABHJ	15.73% 1,786
Q3: South Central (F)	23.04% 153 I	28.61% 190 B	54.07% 359 ABJ	6.18% 702
Q3: South East Coast (G)	25.84% 177 H	29.78% 204 B	51.68% 354 BH	6.47% 735
Q3: South West (H)	19.56% 239 ABCEGIJ	28.97% 354 B	57.36% 701 ABCDEGIJ	11.39% 1,294
Q3: West Midlands (I)	28.94% 303 DEFH	26.46% 277 ABDJ	50.81% 532 BH	9.79% 1,112
Q3: Yorkshire (J)	26.44% 313 H	32.01% 379 BCI	48.40% 573 BCEFH	11.14% 1,265
Total Respondents	2,922	3,449	5,849	11,356

Within the last week, have you reported or spoken out about any of these issues relating to COVID-19 to your employer or local health service management? Please tick as many as apply


Answered: 11,403



4 May 2020 BMA COVID-19 tracker survey




Reported / spoken out Not reported / spoken out No issue to report



Reported / spoken out Not reported / spoken out No issue to report

4 May 2020 BMA COVID-19 tracker survey



PPE shortages				
	REPORTED / SPOKEN OUT	NOT REPORTED / SPOKEN OUT	NO ISSUE TO REPORT	TOTAL
Q3: East Midlands (A)	20.50% 171 BDFH	21.58% 180 BCH	57.91% 483 BCDFGH	7.31% 834
Q3: East of England (B)	24.59% 300 ACDFHIJ	26.23% 320 ADFH	49.18% 600 ACDFHIJ	10.70% 1,220
Q3: London (C)	21.61% 453 BDFHJ	25.29% 530 ADFH	53.10% 1,113 ABDFHJ	18.38% 2,096
Q3: North East (D)	15.99% 123 ABCEG	18.47% 142 BCEGIJ	65.54% 504 ABCEGIJ	6.74% 769
Q3: North West (E)	22.68% 371 DFHIJ	23.47% 384 DH	53.85% 881 BDFHJ	14.35% 1,636
Q3: South Central (F)	14.61% 98 ABCEGIJ	20.27% 136 BCI	65.13% 437 ABCEGIJ	5.88% 671
Q3: South East Coast (G)	23.89% 162 DFHIJ	24.04% 163 DH	52.06% 353 ADFHJ	5.95% 678
Q3: South West (H)	14.49% 179 ABCEGIJ	17.41% 215 ABCEGIJ	68.10% 841 ABCEGIJ	10.83% 1,235
Q3: West Midlands (I)	19.33% 203 BEFGH	24.57% 258 DFH	56.10% 589 BDFH	9.21% 1,050
Q3: Yorkshire (J)	18.44% 217 BCEFGH	23.87% 281 DH	57.69% 679 BCDEFGH	10.32% 1,177

4 May 2020 BMA COVID-19 tracker survey


Staffing shortages					
	REPORTED / SPOKEN OUT	NOT REPORTED / SPOKEN OUT	NO ISSUE TO REPORT	TOTAL	
Q3: East Midlands (A)	11.31% 94 D	12.03% 100 H	76.65% 637 BDFH	7.29% 831	
Q3: East of England (B)	13.31% 162 DEFH	14.22% 173 DFHJ	72.47% 882 ADEFHJ	10.67% 1,217	
Q3: London (C)	13.17% 275 DEFH	13.46% 281 DFHJ	73.37% 1,532 DEFHJ	18.31% 2,088	
Q3: North East (D)	8.36% 64 ABCGI	10.57% 81 BC	81.07% 621 ABCEGI	6.72% 766	
Q3: North West (E)	10.53% 172 BC	11.94% 195 H	77.53% 1,266 BCDFH	14.32% 1,633	
Q3: South Central (F)	8.86% 59 BC	9.31% 62 BCI	81.83% 545 ABCEGIJ	5.84% 666	
Q3: South East Coast (G)	11.95% 81 DH	11.65% 79	76.40% 518 DFH	5.95% 678	
Q3: South West (H)	9.00% 111 BCG	9.08% 112 ABCEI	81.91% 1,010 ABCEGIJ	10.81% 1,233	
Q3: West Midlands (I)	11.33% 119 D	12.86% 135 FH	75.81% 796 DFH	9.21% 1,050	
Q3: Yorkshire (J)	11.00% 129	11.08% 130 BC	77.92% 914 BCFH	10.29% 1,173	
Your personal situation (e.g. health concerns, redeployment)					
	REPORTED / SPOKEN OUT	NOT REPORTED / SPOKEN OUT	NO ISSUE TO REPORT	TOTAL	
Q3: East Midlands (A)	16.69% 139 DFH	12.00% 100	71.31% 594 CDFH	7.31% 833	
Q3: East of England (B)	18.46% 225 DFHJ	13.78% 168 DHJ	67.76% 826 DFHIJ	10.69% 1,219	
Q3: London (C)	18.71% 392 DFHJ	14.51% 304 DEHIJ	66.78% 1,399 ADEFHIJ	18.37% 2,095	
Q3: North East (D)	11.20% 86 ABCEGIJ	10.16% 78 BC	78.65% 604 ABCEGIJ	6.74% 768	
Q3: North West (E)	17.42% 285 DFH	12.16% 199 C	70.42% 1,152 CDFH	14.35% 1,636	
Q3: South Central (F)	11.62% 78 ABCEGIJ	11.62% 78	76.75% 515 ABCEGI	5.88% 671	
Q3: South East Coast (G)	19.26% 131 DFHJ	13.09% 89 H	67.65% 460 DFHJ	5.96% 680	
Q3: South West (H)	13.18% 163 ABCEGI	9.94% 123 BCG	76.88% 951 ABCEGI	10.85% 1,237	
Q3: West Midlands (I)	16.63% 174 DFH	11.66% 122 C	71.70% 750 BCDFH	9.17% 1,046	
Q3: Yorkshire (J)	15.17% 179 BCDFG	11.10% 131 BC	73.73% 870 BCDG	10.35% 1,180	

4 May 2020 BMA COVID-19 tracker survey

Medicines shortages				
	REPORTED / SPOKEN OUT	NOT REPORTED / SPOKEN OUT	NO ISSUE TO REPORT	TOTAL
Q3: East Midlands (A)	6.60% 55 B	16.81% 140 EHJ	76.59% 638 BDEH	7.31% 833
Q3: East of England (B)	9.21% 112 ACDEF	18.42% 224 CDEFGHJ	72.37% 880 ACDEFGHJ	10.66% 1,216
Q3: London (C)	7.03% 147 B	14.24% 298 BH	78.73% 1,647 BH	18.35% 2,092
Q3: North East (D)	5.48% 42 BIJ	13.58% 104 BH	80.94% 620 ABI	6.72% 766
Q3: North West (E)	6.98% 114 B	12.92% 211 AB	80.10% 1,308 ABI	14.32% 1,633
Q3: South Central (F)	5.38% 36 BIJ	14.35% 96 BH	80.27% 537 BI	5.87% 669
Q3: South East Coast (G)	7.50% 51	14.56% 99 BH	77.94% 530 BH	5.96% 680
Q3: South West (H)	7.54% 93	10.53% 130 ABCDGFI	81.93% 1,011 ABCGIJ	10.82% 1,234
Q3: West Midlands (I)	8.77% 92 DF	15.35% 161 H	75.88% 796 DEFH	9.20% 1,049
Q3: Yorkshire (J)	8.84% 104 DF	12.84% 151 AB	78.32% 921 BH	10.31% 1,176
Testing for Coronavirus				
	REPORTED / SPOKEN OUT	NOT REPORTED / SPOKEN OUT	NO ISSUE TO REPORT	TOTAL
Q3: East Midlands (A)	22.12% 184 DG	26.92% 224 DEH	50.96% 424 DEFH	7.30% 832
Q3: East of England (B)	25.53% 311 DEFHIJ	27.75% 338 DEFH	46.72% 569 DEFHJ	10.68% 1,218
Q3: London (C)	24.44% 512 DEFHJ	26.11% 547 DEH	49.45% 1,036 DEFHJ	18.37% 2,095
Q3: North East (D)	16.82% 129 ABCEGIJ	19.30% 148 ABCGIJ	63.89% 490 ABCEFGHIJ	6.73% 767
Q3: North West (E)	21.14% 346 BCDG	22.79% 373 ABCI	56.08% 918 ABCDGI	14.36% 1,637
Q3: South Central (F)	18.90% 127 BCG	23.07% 155 BI	58.04% 390 ABCDGI	5.89% 672
Q3: South East Coast (G)	27.46% 187 ADEFHIJ	23.79% 162 D	48.75% 332 DEFHJ	5.97% 681
Q3: South West (H)	19.94% 246 BCG	21.72% 268 ABCIJ	58.35% 720 ABCDGIJ	10.82% 1,234
Q3: West Midlands (I)	21.69% 228 BDG	27.59% 290 DEFH	50.71% 533 DEFH	9.22% 1,051
Q3: Yorkshire (J)	20.42% 241 BCDG	25.42% 300 DH	54.15% 639 BCDGH	10.35% 1,180

If you have not reported or spoken out about an issues, why was this? Please tick as many as apply.

Answered: 10,811




4 May 2020 BMA COVID-19 tracker survey

	FEARFUL OF SPEAKING OUT	DO NOT BELIEVE ANY ACTION WILL BE TAKEN	INSUFFICIENT PROTECTION AND SUPPORT FOR REPORTING	WORRIED WOULD NEGATIVELY IMPACT MY CAREER / TRAINING PROGRESSION	ASKED OR INSTRUCTED NOT TO SPEAK OUT	THREATENED WITH SANCTIONS IF DID SPEAK OUT	NO ISSUES / DID REPORT OR SPEAK OUT	TOTAL
Q3: East Midlands (A)	9.28% 73 DFHJ	32.02% 252 B	9.66% 76 DFH	10.29% 81 DEFH	1.65% 13	2.41% 19 DEFH	63.28% 498 DEFH	9.36% 1,012
Q3: East of England (B)	7.32% 84 DFH	36.15% 415 ADEFHJ	9.76% 112 DFH	8.19% 94 DH	2.61% 30 F	2.61% 30 DEFH	58.71% 674 DEFGHJ	13.31% 1,439
Q3: London (C)	8.20% 164 DFH	33.20% 664 H	10.15% 203 DFH	9.35% 187 DEFH	2.90% 58 F	1.75% 35 F	61.50% 1,230 DEFHJ	23.50% 2,541
Q3: North East (D)	4.26% 31 ABCEGI	26.10% 190 B	4.40% 32 ABCEGIJ	4.67% 34 ABCEGIJ	1.37% 10	0.82% 6 ABI	72.25% 526 ABCEGIJ	7.67% 829
Q3: North West (E)	6.98% 109 DFH	30.94% 483 BH	8.20% 128 DFH	6.85% 107 AC	1.86% 29	1.22% 19 ABI	65.66% 1,025 ABCD FHI	17.57% 1,900
Q3: South Central (F)	3.79% 24 ABCEGI	26.22% 166 B	5.21% 33 ABCEI	5.21% 33 ACGJ	0.95% 6 BCJ	0.47% 3 ABCIJ	70.93% 449 ABCEGIJ	6.60% 714
Q3: South East Coast (G)	7.95% 52 DFH	32.11% 210 H	8.41% 55 DH	8.87% 58 DFH	2.29% 15	1.68% 11	64.53% 422 BDFH	7.61% 823
Q3: South West (H)	4.44% 52 ABCEGI	24.74% 290 BCEGIJ	5.29% 62 ABCEGIJ	4.95% 58 ABCEGIJ	1.79% 21	0.85% 10 ABI	72.78% 853 ABCEGIJ	12.45% 1,346
Q3: West Midlands (I)	8.99% 90 DFHJ	31.97% 320 H	9.19% 92 DFH	8.29% 83 DH	2.10% 21	2.30% 23 DEFH	62.34% 624 DEFH	11.59% 1,253
Q3: Yorkshire (J)	6.39% 72 AI	30.97% 349 BH	7.72% 87 DH	8.34% 94 DFH	2.48% 28 F	1.69% 19 F	64.69% 729 BCDFH	12.75% 1,378
Total Respondents	751	3,339	880	829	231	175	7,030	10,811

Within the last week, have you, or a member of your household, tried to access testing for Coronavirus (in your place of work, local NHS, or online)?


Answered: 11,366



	YES - TESTING WAS ACCESSIBLE / TIMELY / CONVENIENT	YES - BUT TESTING WAS NOT ACCESSIBLE / NOT TIMELY / NOT CONVENIENT	NO - HAVE NOT TRIED / NOT NEEDED	PREFER NOT TO SAY	TOTAL
Q3: East Midlands (A)	9.38% 78 H	7.81% 65 CDH	81.73% 680 CH	1.08% 9	7.32% 832
Q3: East of England (B)	8.08% 99 CDEH	7.67% 94 CDH	82.87% 1,016 CH	1.39% 17 H	10.79% 1,226
Q3: London (C)	10.75% 226 BHI	10.84% 228 ABDEFGHIJ	77.56% 1,631 ABDEFGHIJ	0.86% 18	18.50% 2,103
Q3: North East (D)	11.52% 88 BHI	3.01% 23 ABCEFGHIJ	84.82% 648 CH	0.65% 5	6.72% 764
Q3: North West (E)	10.34% 169 BHI	6.36% 104 CDI	82.50% 1,348 CH	0.80% 13	14.38% 1,634
Q3: South Central (F)	10.49% 70 H	7.50% 50 CDH	81.11% 541 H	0.90% 6	5.87% 667
Q3: South East Coast (G)	9.28% 63 H	8.10% 55 CDH	81.89% 556 CH	0.74% 5	5.97% 679
Q3: South West (H)	5.83% 72 ABCDEFGHJ	5.10% 63 ABCDGFI	88.67% 1,096 ABCDEFGHJ	0.40% 5 BI	10.87% 1,236
Q3: West Midlands (I)	7.91% 83 CDEH	8.67% 91 DEHJ	82.17% 862 CH	1.24% 13 H	9.23% 1,049
Q3: Yorkshire (J)	9.27% 109 H	6.29% 74 CDI	83.67% 984 CH	0.77% 9	10.35% 1,176
Total Respondents	1,057	847	9,362	100	11,366

Taking everything into account, do you feel safely protected from coronavirus infection in your place of work?


Answered: 11,385



	FULLY	PARTLY	NOT AT ALL	DON'T KNOW	TOTAL
Q3: East Midlands (A)	28.45% 237 DFH	59.18% 493 FH	9.48% 79 DFH	2.88% 24 D	7.32% 833
Q3: East of England (B)	26.51% 325 DFHJ	57.75% 708 FH	11.66% 143 DFHJ	4.08% 50 D	10.77% 1,226
Q3: London (C)	27.55% 580 DFH	57.29% 1,206 FH	11.21% 236 DFHJ	3.94% 83 D	18.49% 2,105
Q3: North East (D)	37.60% 288 ABCEGIJ	55.22% 423	5.74% 44 ABCEGIJ	1.44% 11 ABCEFGHIJ	6.73% 766
Q3: North West (E)	28.38% 464 DFH	58.23% 952 FH	10.40% 170 DFH	3.00% 49 D	14.36% 1,635
Q3: South Central (F)	38.06% 255 ABCEGIJ	52.24% 350 ABCEGJ	5.82% 39 ABCEGIJ	3.88% 26 D	5.88% 670
Q3: South East Coast (G)	29.22% 199 DFH	57.86% 394 FH	9.84% 67 DFH	3.08% 21 D	5.98% 681
Q3: South West (H)	38.92% 483 ABCEGIJ	51.57% 640 ABCEGIJ	5.96% 74 ABCEGIJ	3.55% 44 D	10.90% 1,241
Q3: West Midlands (I)	29.52% 310 DFH	56.10% 589 H	11.05% 116 DFHJ	3.33% 35 D	9.22% 1,050
Q3: Yorkshire (J)	30.31% 357 BDFH	57.30% 675 FH	8.49% 100 BCDFHI	3.90% 46 D	10.35% 1,178
Total Respondents	3,498	6,430	1,068	389	11,385

How frequently, if at all, are you experiencing any shortages of medicines, medical gases (e.g. oxygen) or other therapeutics in your place of work?


Answered: 11,185



	ALWAYS / MOST OF THE TIME	SOME OF THE TIME	NEVER / HARDLY AT ALL	DON'T KNOW / NOT APPLICABLE	TOTAL
Q3: East Midlands (A)	5.88% 48 CEI	25.83% 211 FH	38.80% 317 DH	29.50% 241 D	7.30% 817
Q3: East of England (B)	6.40% 77 CEGHI	29.24% 352 CEFHJ	37.71% 454 DEFHI	26.66% 321 CEH	10.76% 1,204
Q3: London (C)	3.77% 78 ABJ	25.92% 536 BFH	37.48% 775 DEFHI	32.83% 679 BDIJ	18.49% 2,068
Q3: North East (D)	5.32% 40 E	26.46% 199 FH	44.15% 332 ABC	24.07% 181 ACEFGHIJ	6.72% 752
Q3: North West (E)	2.87% 46 ABDFHJ	23.19% 372 B	42.96% 689 BC	30.99% 497 BD	14.34% 1,604
Q3: South Central (F)	5.44% 36 E	20.85% 138 ABCDGJ	43.05% 285 BC	30.66% 203 D	5.92% 662
Q3: South East Coast (G)	4.05% 27 B	25.53% 170 FH	40.99% 273	29.43% 196 D	5.95% 666
Q3: South West (H)	4.44% 54 BE	20.38% 248 ABCDGIJ	43.63% 531 ABC	31.55% 384 BD	10.88% 1,217
Q3: West Midlands (I)	3.58% 37 ABJ	24.47% 253 BH	42.94% 444 BC	29.01% 300 CD	9.24% 1,034
Q3: Yorkshire (J)	5.34% 62 CEI	25.15% 292 BFH	40.48% 470	29.03% 337 CD	10.38% 1,161
Total Respondents	505	2,771	4,570	3,339	11,185

Which, if any, groups of medicines are you experiencing shortages of, compared with the situation pre-pandemic?


Answered: 6,839



	OXYGEN	ANALGESICS	ANTIBIOTICS	SEDATIVES	OPIOIDS	ANAESTHETICS	HRT	INHALERS	OTHER GROUPS (PLEASE SPECIFY)	TOTAL
Q3: East Midlands (A)	11.79% 62 CDH	12.17% 64	12.55% 66 CDEFI	10.46% 55	11.79% 62 EHJ	11.03% 58 BIJ	27.76% 146 C	37.83% 199 CE	32.32% 170 DEH	12.90% 882
Q3: East of England (B)	10.41% 87 CGH	15.67% 131 I	17.11% 143 DEFHIJ	10.05% 84 CE	16.39% 137 CDH	5.98% 50 ACDEFGH	33.61% 281 CGHI	37.56% 314 CE	35.05% 293 DEHI	22.23% 1,520
Q3: London (C)	20.19% 251 ABDEFGHIJ	12.95% 161	17.22% 214 ADEFGHJ	12.47% 155 BDHI	11.18% 139 BEHJ	11.50% 143 BIJ	19.63% 244 ABDEFGHIJ	24.22% 301 ABDFGHIJ	35.72% 444 DE	30.00% 2,052
Q3: North East (D)	7.69% 36 ACGI	13.68% 64	7.05% 33 ABCGHI	8.76% 41 CE	8.76% 41 BEGHIJ	8.55% 40 BJ	33.33% 156 CGHI	39.32% 184 CE	43.80% 205 ABCGJ	11.70% 800
Q3: North West (E)	10.75% 100 CH	11.51% 107	8.49% 79 ABCI	13.44% 125 BDHI	16.02% 149 ACDFH	11.72% 109 BIJ	28.28% 263 C	26.24% 244 ABDFGHIJ	41.29% 384 ABCG	22.81% 1,560
Q3: South Central (F)	10.11% 38 CH	11.17% 42	8.24% 31 ABCI	11.70% 44	11.17% 42 EHJ	12.50% 47 BIJ	28.99% 109 C	34.57% 130 CE	38.03% 143	9.15% 626
Q3: South East Coast (G)	13.90% 57 BCDHJ	13.17% 54	11.95% 49 CDI	12.20% 50	14.63% 60 DH	11.46% 47 BIJ	23.90% 98 BD	32.68% 134 CE	34.15% 140 DE	10.07% 689
Q3: South West (H)	5.98% 41 ABCEFGIJ	14.72% 101	10.79% 74 BCDI	9.48% 65 CE	21.57% 148 ABCDEFGI	10.35% 71 BIJ	27.11% 186 BCD	34.11% 234 CE	41.69% 286 AB	17.63% 1,206
Q3: West Midlands (I)	11.09% 72 CDH	10.63% 69 B	19.26% 125 ABDEFGHJ	8.63% 56 CE	14.02% 91 DH	5.86% 38 ACEFGH	24.04% 156 BCD	32.97% 214 CE	36.67% 238 B	15.48% 1,059
Q3: Yorkshire (J)	10.49% 75 CGH	14.97% 107	9.93% 71 BCI	12.31% 88	19.44% 139 ACDF	5.73% 41 ACDEFGH	28.67% 205 C	36.92% 264 CE	38.32% 274 D	18.48% 1,264
Total Respondents	819	900	885	763	1,008	644	1,844	2,218	2,577	6,839

Have any current, or expected future, shortages forced you to provide less effective treatment to your patients than you would normally?


Answered: 10,983



	YES, FREQUENTLY	YES, OCCASIONALLY	NO, NEVER	TOTAL
Q3: East Midlands (A)	5.73% 46 D	27.02% 217 B	67.25% 540 B	7.31% 803
Q3: East of England (B)	6.32% 75 D	33.36% 396 ACDEFHIJ	60.32% 716 ACDEFHIJ	10.81% 1,187
Q3: London (C)	6.36% 128 DG	26.63% 536 B	67.01% 1,349 BD	18.33% 2,013
Q3: North East (D)	3.60% 27 ABC	25.47% 191 B	70.93% 532 BCG	6.83% 750
Q3: North West (E)	4.90% 77	26.00% 409 B	69.10% 1,087 B	14.32% 1,573
Q3: South Central (F)	5.73% 37	24.77% 160 BG	69.50% 449 B	5.88% 646
Q3: South East Coast (G)	4.26% 28 C	29.98% 197 F	65.75% 432 BD	5.98% 657
Q3: South West (H)	5.16% 61	26.46% 313 B	68.39% 809 B	10.77% 1,183
Q3: West Midlands (I)	4.78% 49	27.29% 280 B	67.93% 697 B	9.34% 1,026
Q3: Yorkshire (J)	5.50% 63	26.46% 303 B	68.03% 779 B	10.43% 1,145
Total Respondents	591	3,002	7,390	10,983

What impact is self-isolation having in your place of work with regard to staffing capacity and workload?


Answered: 11,030



	SIGNIFICANTLY REDUCED CAPACITY / INCREASED WORKLOAD	SLIGHTLY REDUCED CAPACITY / INCREASED WORKLOAD	NO IMPACT	DON'T KNOW	TOTAL
Q3: East Midlands (A)	14.89% 119 CD	55.69% 445 CEHI	22.65% 181 DEFHJ	6.76% 54	7.24% 799
Q3: East of England (B)	17.19% 204 CDFHJ	55.52% 659 CEHI	20.56% 244 DEFHJ	6.74% 80	10.76% 1,187
Q3: London (C)	20.23% 411 ABDEFGHIJ	48.18% 979 ABDJ	23.47% 477 DEFHJ	8.12% 165	18.42% 2,032
Q3: North East (D)	7.88% 59 ABCEFGHIJ	53.54% 401 C	31.91% 239 ABCEGIJ	6.68% 50	6.79% 749
Q3: North West (E)	14.85% 236 CDF	50.28% 799 AB	26.75% 425 ABCD	8.12% 129	14.41% 1,589
Q3: South Central (F)	11.66% 76 BCDEGI	51.84% 338	29.45% 192 ABCGI	7.06% 46	5.91% 652
Q3: South East Coast (G)	15.84% 105 CDF	52.49% 348	23.08% 153 DFH	8.60% 57	6.01% 663
Q3: South West (H)	13.69% 164 BCD	50.08% 600 AB	29.72% 356 ABCGI	6.51% 78	10.86% 1,198
Q3: West Midlands (I)	16.54% 168 CDFJ	50.79% 516 AB	24.21% 246 BDFH	8.46% 86	9.21% 1,016
Q3: Yorkshire (J)	13.45% 154 BCDI	53.45% 612 C	26.64% 305 ABCD	6.46% 74	10.38% 1,145
Total Respondents	1,696	5,697	2,818	819	11,030

To what extent is prioritisation of patients with possible or confirmed COVID-19 in your place of work or the local NHS affecting the care available to those patients with no COVID-19 symptoms?


Answered: 11,033



	SIGNIFICANTLY WORSENING	SLIGHTLY WORSENING	NEITHER WORSENING NOR IMPROVING	SLIGHTLY IMPROVING	SIGNIFICANTLY IMPROVING	TOO SOON TO KNOW	DON'T KNOW	TOTAL
Q3: East Midlands (A)	27.72% 222 C	26.47% 212	16.60% 133	4.49% 36 EGHJ	1.50% 12	12.73% 102	10.49% 84	7.26% 801
Q3: East of England (B)	31.59% 374 D	23.82% 282 DH	17.15% 203	3.46% 41	1.52% 18	13.01% 154	9.46% 112	10.73% 1,184
Q3: London (C)	32.48% 660 ADE	24.95% 507 H	14.62% 297 DEFG	3.05% 62	1.28% 26 I	12.40% 252 D	11.22% 228	18.42% 2,032
Q3: North East (D)	24.67% 185 BCEFHJ	27.87% 209 B	18.80% 141 C	3.20% 24	1.47% 11	15.33% 115 CEGH	8.67% 65	6.80% 750
Q3: North West (E)	29.12% 463 CD	26.92% 428	17.80% 283 C	2.77% 44 A	1.19% 19 I	11.13% 177 DJ	11.07% 176	14.41% 1,590
Q3: South Central (F)	30.58% 200 D	24.77% 162	19.42% 127 CI	2.75% 18	1.07% 7	12.39% 81	9.02% 59	5.93% 654
Q3: South East Coast (G)	28.81% 191	26.70% 177	18.70% 124 C	2.41% 16 A	1.21% 8	11.01% 73 D	11.16% 74	6.01% 663
Q3: South West (H)	30.55% 366 D	28.71% 344 BC	16.61% 199	2.84% 34 A	1.09% 13 I	10.93% 131 DJ	9.27% 111	10.86% 1,198
Q3: West Midlands (I)	29.09% 295 D	26.23% 266	15.38% 156 F	3.35% 34	2.27% 23 CEH	13.21% 134	10.45% 106	9.19% 1,014
Q3: Yorkshire (J)	30.08% 345 D	25.20% 289	16.74% 192	2.44% 28 A	1.22% 14	14.04% 161 EH	10.29% 118	10.40% 1,147
Total Respondents	3,301	2,876	1,855	337	151	1,380	1,133	11,033

During this pandemic, have you been redeployed into a different role (e.g. grade, specialty, place of work) to your usual one?



Answered: 11,066





	YES	NO	TOTAL
Q3: East Midlands (A)	23.79% 191 C	76.21% 612 C	7.26% 803
Q3: East of England (B)	25.04% 298 C	74.96% 892 C	10.75% 1,190
Q3: London (C)	30.00% 612 ABDEHIJ	70.00% 1,428 ABDEHIJ	18.43% 2,040
Q3: North East (D)	22.13% 166 CFG	77.87% 584 CFG	6.78% 750
Q3: North West (E)	23.06% 368 CFG	76.94% 1,228 CFG	14.42% 1,596
Q3: South Central (F)	28.09% 184 DEHJ	71.91% 471 DEHJ	5.92% 655
Q3: South East Coast (G)	27.67% 184 DEJ	72.33% 481 DEJ	6.01% 665
Q3: South West (H)	23.92% 287 CF	76.08% 913 CF	10.84% 1,200
Q3: West Midlands (I)	25.89% 263 CJ	74.11% 753 CJ	9.18% 1,016
Q3: Yorkshire (J)	22.24% 256 CFGJ	77.76% 895 CFGJ	10.40% 1,151
Total Respondents	2,809	8,257	11,066

Please answer Yes or No to the following questions about your redeployment. If you have been redeployed more than once, please answer according to your most recent experience.



Answered: 2,795



4 May 2020 BMA COVID-19 tracker survey



4 May 2020 BMA COVID-19 tracker survey



4 May 2020 BMA COVID-19 tracker survey

I was provided with an induction into the new role					
	YES	NO	NOT APPLICABLE	TOTAL	
Q3: East Midlands (A)	36.65% 70	31.94% 61 BD	31.41% 60	6.83% 191	
Q3: East of England (B)	28.28% 84 CDEFI	43.77% 130 ACDEHIJ	27.95% 83	10.63% 297	
Q3: London (C)	41.18% 252 BGHJ	33.99% 208 BD	24.84% 152 DEHJ	21.90% 612	
Q3: North East (D)	45.12% 74 BEGHJ	21.95% 36 ABCEFGHIJ	32.93% 54 C	5.87% 164	
Q3: North West (E)	36.07% 132 BD	32.51% 119 BD	31.42% 115 C	13.09% 366	
Q3: South Central (F)	37.91% 69 B	35.71% 65 D	26.37% 48	6.51% 182	
Q3: South East Coast (G)	31.84% 57 CD	36.87% 66 D	31.28% 56	6.40% 179	
Q3: South West (H)	33.33% 95 CD	35.09% 100 BD	31.58% 90 C	10.20% 285	
Q3: West Midlands (I)	39.46% 103 B	33.33% 87 BD	27.20% 71	9.34% 261	
Q3: Yorkshire (J)	31.89% 81 CD	34.25% 87 BD	33.86% 86 C	9.09% 254	
I was provided with training related to the new role					
	YES	NO	NOT APPLICABLE	TOTAL	
Q3: East Midlands (A)	34.21% 65 C	31.05% 59 B	34.74% 66 C	6.80% 190	
Q3: East of England (B)	29.63% 88 CDEFI	40.40% 120 ACDEHIJ	29.97% 89	10.63% 297	
Q3: London (C)	44.44% 272 ABGHJ	30.56% 187 B	25.00% 153 ADHJ	21.90% 612	
Q3: North East (D)	41.10% 67 B	25.77% 42 B	33.13% 54 C	5.83% 163	
Q3: North West (E)	38.36% 140 B	32.60% 119 B	29.04% 106	13.06% 365	
Q3: South Central (F)	39.01% 71 B	32.97% 60	28.02% 51	6.51% 182	
Q3: South East Coast (G)	34.64% 62 C	33.52% 60	31.84% 57	6.40% 179	
Q3: South West (H)	34.98% 99 C	31.45% 89 B	33.57% 95 C	10.13% 283	
Q3: West Midlands (I)	41.70% 108 BJ	30.50% 79 B	27.80% 72 J	9.27% 259	
Q3: Yorkshire (J)	32.94% 84 CI	30.98% 79 B	36.08% 92 CI	9.12% 255	

4 May 2020 BMA COVID-19 tracker survey


I am required to work outside my competence in the new role					
	YES	NO	NOT APPLICABLE	TOTAL	
Q3: East Midlands (A)	13.16% 25 B	72.11% 137	14.74% 28 F	6.80% 190	
Q3: East of England (B)	21.96% 65 ACDEFGHJ	65.20% 193 CDEFGH	12.84% 38	10.59% 296	
Q3: London (C)	15.25% 93 BE	74.75% 456 B	10.00% 61 J	21.82% 610	
Q3: North East (D)	10.37% 17 B	76.83% 126 B	12.80% 21	5.87% 164	
Q3: North West (E)	10.71% 39 BCI	75.82% 276 B	13.46% 49 F	13.02% 364	
Q3: South Central (F)	12.09% 22 B	80.22% 146 BJ	7.69% 14 AEJ	6.51% 182	
Q3: South East Coast (G)	12.85% 23 B	74.86% 134 B	12.29% 22	6.40% 179	
Q3: South West (H)	12.72% 36 B	74.20% 210 B	13.07% 37	10.13% 283	
Q3: West Midlands (I)	16.60% 43 E	72.20% 187	11.20% 29	9.27% 259	
Q3: Yorkshire (J)	14.12% 36 B	69.80% 178 F	16.08% 41 CF	9.12% 255	
I was given a choice whether to accept the redeployment					
	YES	NO	NOT APPLICABLE	TOTAL	
Q3: East Midlands (A)	31.58% 60 D	54.74% 104 D	13.68% 26	6.80% 190	
Q3: East of England (B)	31.08% 92 D	57.77% 171 D	11.15% 33	10.59% 296	
Q3: London (C)	37.44% 228 DI	52.71% 321 D	9.85% 60 HJ	21.79% 609	
Q3: North East (D)	52.44% 86 ABCEFGHIJ	34.76% 57 ABCEFGHIJ	12.80% 21	5.87% 164	
Q3: North West (E)	35.89% 131 DI	55.34% 202 D	8.77% 32 HJ	13.06% 365	
Q3: South Central (F)	34.07% 62 D	57.14% 104 D	8.79% 16 H	6.51% 182	
Q3: South East Coast (G)	30.73% 55 D	59.78% 107 D	9.50% 17	6.40% 179	
Q3: South West (H)	32.16% 91 D	52.30% 148 D	15.55% 44 CEF	10.13% 283	
Q3: West Midlands (I)	28.08% 73 CDE	58.46% 152 D	13.46% 35	9.30% 260	
Q3: Yorkshire (J)	32.68% 83 D	52.76% 134 D	14.57% 37 CE	9.09% 254	

4 May 2020 BMA COVID-19 tracker survey

I actively requested redeployment					
	YES	NO	NOT APPLICABLE	TOTAL	
Q3: East Midlands (A)	27.51% 52 EGJ	59.26% 112 G		13.23% 25	6.76% 189
Q3: East of England (B)	25.17% 74 G	63.27% 186 D		11.56% 34 D	10.52% 294
Q3: London (C)	28.57% 174 EGHJ	59.11% 360 G		12.32% 75 D	21.79% 609
Q3: North East (D)	30.49% 50 EGJ	51.22% 84 BEGHIJ		18.29% 30 BCF	5.87% 164
Q3: North West (E)	20.05% 73 ACDF	64.29% 234 D		15.66% 57	13.02% 364
Q3: South Central (F)	32.04% 58 EGHIJ	57.46% 104 G		10.50% 19 DJ	6.48% 181
Q3: South East Coast (G)	16.20% 29 ABCDF	71.51% 128 ACDFHI		12.29% 22	6.40% 179
Q3: South West (H)	22.26% 63 CF	62.19% 176 DG		15.55% 44	10.13% 283
Q3: West Midlands (I)	23.26% 60 F	61.63% 159 DG		15.12% 39	9.23% 258
Q3: Yorkshire (J)	18.82% 48 ACDF	63.92% 163 D		17.25% 44 F	9.12% 255
I know how long I will be redeployed for					
	YES	NO	NOT APPLICABLE	TOTAL	
Q3: East Midlands (A)	19.05% 36	74.07% 140		6.88% 13	6.76% 189
Q3: East of England (B)	16.95% 50	76.27% 225 D		6.78% 20	10.55% 295
Q3: London (C)	16.56% 101 D	74.92% 457 D		8.52% 52	21.82% 610
Q3: North East (D)	24.24% 40 C	67.27% 111 BC		8.48% 14	5.90% 165
Q3: North West (E)	17.53% 64	72.60% 265		9.86% 36	13.06% 365
Q3: South Central (F)	18.23% 33	74.03% 134		7.73% 14	6.48% 181
Q3: South East Coast (G)	18.99% 34	72.07% 129		8.94% 16	6.40% 179
Q3: South West (H)	20.14% 57	71.73% 203		8.13% 23	10.13% 283
Q3: West Midlands (I)	17.37% 45	75.68% 196		6.95% 18	9.27% 259
Q3: Yorkshire (J)	17.32% 44	72.44% 184		10.24% 26	9.09% 254

During your working hours within the last week, how often were you able to take your breaks in full?


Answered: 10,961



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	NOT WORKING WITHIN LAST WEEK	TOTAL
Q3: East Midlands (A)	44.15% 351 BCDG	30.19% 240	12.08% 96 C	6.29% 50 C	4.15% 33	3.14% 25	7.25% 795
Q3: East of England (B)	36.15% 428 ADEFHJ	33.53% 397 CDEFHJ	14.02% 166 C	8.61% 102 D	4.05% 48	3.63% 43 D	10.80% 1,184
Q3: London (C)	36.39% 734 ADEFHJ	28.36% 572 BG	16.76% 338 ABDEFHJ	8.82% 178 ADH	4.86% 98 D	4.81% 97 DHI	18.40% 2,017
Q3: North East (D)	50.74% 378 ABCEFGHIJ	26.58% 198 BG	12.21% 91 C	5.50% 41 BC	3.09% 23 C	1.88% 14 BCEJ	6.80% 745
Q3: North West (E)	44.19% 700 BCDG	29.36% 465 B	11.81% 187 C	7.20% 114	3.66% 58	3.79% 60 D	14.45% 1,584
Q3: South Central (F)	44.05% 285 BCDG	27.82% 180 B	13.14% 85 C	7.26% 47	4.17% 27	3.55% 23	5.90% 647
Q3: South East Coast (G)	38.11% 250 ADEFHJ	32.77% 215 CD	13.72% 90	7.62% 50	4.73% 31	3.05% 20	5.98% 656
Q3: South West (H)	43.94% 522 BCDG	28.79% 342 B	13.80% 164 C	6.73% 80 C	3.70% 44	3.03% 36 C	10.84% 1,188
Q3: West Midlands (I)	42.70% 430 BCD	29.20% 294 B	14.00% 141	6.95% 70	3.97% 40	3.18% 32 C	9.19% 1,007
Q3: Yorkshire (J)	43.23% 492 BCDG	28.82% 328 B	13.88% 158 C	7.12% 81	3.51% 40	3.43% 39 D	10.38% 1,138
Total Respondents	4,570	3,231	1,516	813	442	389	10,961

During this pandemic, do you consider that you are currently suffering from any of depression, anxiety, stress, burnout*, emotional distress or other mental health condition relating to or made worse by your work? (*Burnout is characterised by a state of emotional, mental and physical exhaustion caused by excessive and prolonged stress)

Answered: 10,996




4 May 2020 BMA COVID-19 tracker survey

	YES - AND WORSE DURING THIS PANDEMIC THAN BEFORE	YES - BUT NO WORSE THAN BEFORE THIS PANDEMIC	NO	DON'T KNOW	PREFER NOT TO SAY	TOTAL
Q3: East Midlands (A)	30.75% 246 DFH	13.25% 106	47.25% 378 DFH	5.25% 42	3.50% 28	7.28% 800
Q3: East of England (B)	29.09% 345 DF	14.00% 166 E	48.57% 576 DFH	4.64% 55	3.71% 44 D	10.79% 1,186
Q3: London (C)	31.27% 633 DFH	12.45% 252	47.92% 970 DFH	4.74% 96	3.61% 73 D	18.41% 2,024
Q3: North East (D)	23.69% 177 ABCEGIJ	14.46% 108 E	56.09% 419 ABCEGIJ	3.88% 29	1.87% 14 BCE	6.79% 747
Q3: North West (E)	30.02% 477 DFH	11.45% 182 BD	48.52% 771 DFH	5.41% 86	4.59% 73 DFHJ	14.45% 1,589
Q3: South Central (F)	23.88% 155 ABCEGIJ	13.10% 85	56.24% 365 ABCEGIJ	4.62% 30	2.16% 14 E	5.90% 649
Q3: South East Coast (G)	31.97% 211 DFH	11.82% 78	47.73% 315 DFH	5.61% 37	2.88% 19	6.00% 660
Q3: South West (H)	26.59% 317 ACEGI	12.67% 151	53.86% 642 ABCEGI	4.36% 52	2.52% 30 E	10.84% 1,192
Q3: West Midlands (I)	31.65% 319 DFH	12.70% 128	47.22% 476 DFH	5.26% 53	3.17% 32	9.17% 1,008
Q3: Yorkshire (J)	29.71% 339 DF	12.01% 137	50.48% 576 DF	5.00% 57	2.80% 32 E	10.38% 1,141
Total Respondents	3,219	1,393	5,488	537	359	10,996

To what extent do you feel able to access the support for your wellbeing that you would like?

Answered: 5,121



	TO A SIGNIFICANT EXTENT	TO SOME EXTENT	NOT REALLY / NOT AT ALL	HAVE NOT NEEDED TO ACCESS SUPPORT	PREFER NOT TO SAY	TOTAL
Q3: East Midlands (A)	15.13% 59 DE	40.51% 158 CE	23.85% 93 D	18.21% 71 C	2.31% 9	7.62% 390
Q3: East of England (B)	14.72% 83 DE	40.07% 226 CE	23.05% 130 D	19.15% 108 C	3.01% 17 DGH	11.01% 564
Q3: London (C)	14.01% 137 DE	49.80% 487 ABDFHIJ	20.96% 205 G	12.68% 124 ABDEFHIJ	2.56% 25	19.10% 978
Q3: North East (D)	21.27% 67 ABCEFGIJ	42.54% 134 C	17.14% 54 ABFGI	18.10% 57 C	0.95% 3 BJ	6.15% 315
Q3: North West (E)	10.33% 76 ABCDHIJ	46.74% 344 ABFI	22.15% 163	19.02% 140 C	1.77% 13 J	14.37% 736
Q3: South Central (F)	14.50% 39 D	39.78% 107 CE	24.91% 67 D	19.70% 53 C	1.12% 3 J	5.25% 269
Q3: South East Coast (G)	11.08% 36 DH	45.23% 147	26.46% 86 CDH	16.31% 53	0.92% 3 BJ	6.35% 325
Q3: South West (H)	17.53% 91 EG	41.62% 216 C	19.27% 100 G	20.42% 106 C	1.16% 6 BJ	10.13% 519
Q3: West Midlands (I)	14.55% 72 DE	39.19% 194 CE	23.84% 118 D	20.40% 101 C	2.02% 10	9.67% 495
Q3: Yorkshire (J)	14.72% 78 DE	41.32% 219 C	21.32% 113	18.68% 99 C	3.96% 21 DEFGH	10.35% 530
Total Respondents	738	2,232	1,129	912	110	5,121


Are there any particular types of support that you would like to access but cannot?

Answered: 2,008

	ARE THERE ANY PARTICULAR TYPES OF SUPPORT THAT YOU WOULD LIKE TO ACCESS BUT CANNOT?	TOTAL
Q3: East Midlands	100.00% 166	8.27% 166
Q3: East of England	100.00% 227	11.30% 227
Q3: London	100.00% 371	18.48% 371
Q3: North East	100.00% 132	6.57% 132
Q3: North West	100.00% 278	13.84% 278
Q3: South Central	100.00% 99	4.93% 99
Q3: South East Coast	100.00% 119	5.93% 119
Q3: South West	100.00% 199	9.91% 199
Q3: West Midlands	100.00% 212	10.56% 212
Q3: Yorkshire	100.00% 205	10.21% 205
Total Respondents	2,008	2,008

Finally, we would like to ask you which one of the following areas relating to the Coronavirus pandemic is of most concern / top priority to you at the current time.

Answered: 10,518



4 May 2020 BMA COVID-19 tracker survey

	PPE SHORTAGES OR QUALITY	MEDICINES SHORTAGES OR QUALITY	TESTING FOR SELF OR FAMILY	REDEPLOYMENT OR WORKING OUTSIDE COMPETENCE	LACK OF SUPPORT FOR YOUR WELLBEING	STAFFING SHORTAGES	LONGER-TERM IMPACT OF NEW WORKING ARRANGEMENTS	LONGER-TERM IMPACT ON PATIENT CLINICAL DEMAND	TOTAL
Q3: East Midlands (A)	22.32% 171 DFH	1.31% 10	5.48% 42 DI	3.52% 27	3.92% 30 F	2.61% 20	24.54% 188 BG	36.29% 278 DFH	7.28% 766
Q3: East of England (B)	25.79% 294 CDFHJ	0.96% 11	5.96% 68 D	4.39% 50	2.46% 28 E	2.89% 33	20.61% 235 A	36.93% 421 DFH	10.84% 1,140
Q3: London (C)	20.22% 391 BGH	1.19% 23	7.50% 145 DFHJ	4.08% 79	3.10% 60	2.53% 49	22.60% 437	38.78% 750 DFH	18.39% 1,934
Q3: North East (D)	17.80% 128 ABEGI	0.83% 6	2.78% 20 ABCEFGHIJ	3.76% 27	2.23% 16 E	2.09% 15	24.20% 174 G	46.31% 333 ABCEGIJ	6.84% 719
Q3: North West (E)	22.81% 344 DFH	1.06% 16	5.90% 89 D	3.71% 56	4.05% 61 BDF	2.72% 41	22.02% 332	37.73% 569 DFH	14.34% 1,508
Q3: South Central (F)	17.36% 108 ABEGI	0.96% 6	5.14% 32 CDI	4.18% 26	1.77% 11 AEJ	2.25% 14	23.47% 146	44.86% 279 ABCEGI	5.91% 622
Q3: South East Coast (G)	24.29% 153 CDFHJ	0.95% 6	6.03% 38 D	3.65% 23	3.33% 21	3.33% 21	19.21% 121 AD	39.21% 247 DFH	5.99% 630
Q3: South West (H)	14.96% 172 ABCEGIJ	0.78% 9	5.57% 64 CDI	4.52% 52	2.70% 31	2.17% 25	23.04% 265	46.26% 532 ABCEGIJ	10.93% 1,150
Q3: West Midlands (I)	22.48% 216 DFH	0.73% 7	7.91% 76 ADFHJ	4.58% 44	2.81% 27	3.33% 32	22.37% 215	35.80% 344 DFHJ	9.14% 961
Q3: Yorkshire (J)	20.22% 220 BGH	1.19% 13	5.51% 60 CDI	5.06% 55	3.49% 38 F	2.30% 25	22.06% 240	40.17% 437 DHI	10.34% 1,088
Total Respondents	2,197	107	634	439	323	275	2,353	4,190	10,518