


We first want to ask about PPE for high-risk procedures to be used by healthcare workers delivering or assisting with an aerosol generating procedure (AGP) including in Intensive Care Units or the hot zone of an Emergency Department. Do you work in an AGP area?


Answered: 1,165




ANSWER CHOICES	RESPONSES	
Yes	48.24%	562
No	51.76%	603
TOTAL		1,165

# Do you currently have adequate supplies or shortages of the following PPE when working in an AGP area?

Answered: 506






	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
FFP3 masks / respirators	39.09% 197	48.41% 244	5.36% 27	6.94% 35	0.20% 1	504
FFP2 masks / respirators	18.61% 91	26.99% 132	12.07% 59	28.22% 138	14.11% 69	489
Long-sleeved disposable gowns	49.90% 251	34.79% 175	7.95% 40	7.36% 37	0.00% 0	503
Gloves	80.04% 401	13.37% 67	1.40% 7	5.19% 26	0.00% 0	501
Disposable goggles	24.20% 121	42.00% 210	23.00% 115	8.60% 43	2.20% 11	500
Full-face visors	20.04% 101	53.77% 271	17.26% 87	8.53% 43	0.40% 2	504
Scrubs	44.33% 223	42.94% 216	7.95% 40	4.17% 21	0.60% 3	503

## Have you ever felt pressured when working in an AGP area to see a patient without adequate protection?


Answered: 504




ANSWER CHOICES	RESPONSES	
Often	21.23%	107
Sometimes	34.13%	172
Never	44.64%	225
TOTAL		504

We next want to ask about PPE in other (non-AGP) settings to be used by healthcare workers who are in contact with patients with possible or confirmed COVID-19. Do you currently have adequate supplies or shortages of the following PPE?

Answered: 1,013






■ Adequate 
 ■ Shortages 
 ■ No supply at all 
 ■ Don't know 
 ■ Not relevant

	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Fluid-repellent facemasks	43.24% 438	35.24% 357	9.87% 100	9.67% 98	1.97% 20	1,013
Aprons	69.96% 708	16.90% 171	2.96% 30	8.50% 86	1.68% 17	1,012
Gloves	76.83% 776	13.47% 136	0.89% 9	7.23% 73	1.58% 16	1,010
Eye protection	21.56% 218	43.42% 439	21.56% 218	11.47% 116	1.98% 20	1,011
Scrubs	30.56% 309	38.28% 387	20.38% 206	7.72% 78	3.07% 31	1,011

## Have you ever felt pressured when working in other (non-AGP) settings to see a patient without adequate protection?


Answered: 1,004




ANSWER CHOICES		RESPONSES	
Often		27.09%	272
Sometimes		32.37%	325
Never		40.54%	407
TOTAL			1,004

As well as PPE, please will you let us know whether you currently have adequate supplies or shortages of the following usual infection prevention and control measures?

Answered: 1,010






■ Adequate 
 ■ Shortages 
 ■ No supply at all 
 ■ Don't know 
 ■ Not relevant

	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	NOT RELEVANT	TOTAL
Alcohol Based Hand Rub (ABHR)	58.37% 589	32.80% 331	2.58% 26	5.75% 58	0.50% 5	1,009
Soap	81.08% 814	11.25% 113	1.20% 12	5.98% 60	0.50% 5	1,004
Clinical waste disposal bags	68.72% 692	8.64% 87	1.19% 12	20.85% 210	0.60% 6	1,007
Detergent / disinfectant for cleaning	47.77% 481	11.12% 112	1.59% 16	37.84% 381	1.69% 17	1,007
Decontaminant surface wipes	49.36% 498	28.54% 288	3.17% 32	18.33% 185	0.59% 6	1,009
Moisturising hand cream for post hand washing	29.80% 301	30.00% 303	24.36% 246	14.55% 147	1.29% 13	1,010

## Have there been any issues with supplying PPE for doctors with different protected characteristics / specific individual needs (e.g. disabled doctors, Sikh doctors, Muslim female doctors)?


Answered: 1,001



ANSWER CHOICES	RESPONSES
Yes	15.88% 159
No	12.09% 121
Don't know	72.03% 721
TOTAL	1,001

## Have you received advice or training on best practice in putting on, correct fitting, and taking off PPE?


Answered: 974



ANSWER CHOICES	RESPONSES	
Both advice and training	40.86%	398
Advice	33.26%	324
Training	7.19%	70
None	17.35%	169
Already fully trained	0.51%	5
Not relevant	0.82%	8
<b>TOTAL</b>		<b>974</b>

## Have you received refresher advice or training on Standard infection control precautions (SIPC)?


Answered: 980



ANSWER CHOICES	RESPONSES	
Both advice and training	13.78%	135
Advice	23.78%	233
Training	3.37%	33
No	52.55%	515
Not needed	5.41%	53
Not relevant	1.12%	11
<b>TOTAL</b>		<b>980</b>

If you are required to wear an FFP3 (or FFP2) mask / respirator, are there adequate provisions in your place of work for these to be fit tested to ensure an adequate seal according to the manufacturers' guidance, and fit checked (according to the manufacturers' guidance) every time an FFP3 (or FFP2) mask / respirator is donned to ensure an adequate seal has been achieved?


Answered: 977



	ALWAYS	USUALLY	RARELY	NEVER	NOT RELEVANT	TOTAL
Fit tested	22.26% 211	33.33% 316	17.72% 168	15.82% 150	10.86% 103	948
Fit checked	18.70% 178	23.21% 221	19.64% 187	25.21% 240	13.24% 126	952

## Taking everything into account, do you feel safely protected from coronavirus infection in your place of work?


Answered: 981



ANSWER CHOICES	RESPONSES	
Fully	11.72%	115
Partly	56.17%	551
Not at all	30.99%	304
Don't know	1.12%	11
<b>TOTAL</b>		<b>981</b>

# Does your place of work or local NHS offer testing for hospital doctors?


Answered: 968



	ALWAYS	SOMETIMES	NEVER	DON'T KNOW	TOTAL
For those self-isolating with symptoms	12.94% 125	40.06% 387	28.57% 276	18.43% 178	966
For members of households where others have symptoms and you have to self-isolate	8.44% 81	26.04% 250	38.13% 366	27.40% 263	960
For all hospital doctors	3.55% 34	13.97% 134	60.90% 584	21.58% 207	959

## What impact is self-isolation having in your place of work with regard to staffing capacity and workload?


Answered: 968




ANSWER CHOICES	RESPONSES	
Significantly reduced capacity / increased workload	35.95%	348
Slightly reduced capacity / increased workload	50.10%	485
No impact	7.64%	74
Don't know	6.30%	61
<b>TOTAL</b>		<b>968</b>

# How far do you personally feel supported and confident that everything possible is being done by the following:

Answered: 953






■ Very   
 ■ To some extent   
 ■ Not very   
 ■ Not at all   
 ■ Don't know

	VERY	TO SOME EXTENT	NOT VERY	NOT AT ALL	DON'T KNOW	TOTAL
Immediate colleagues	53.15% 506	32.35% 308	9.03% 86	4.41% 42	1.05% 10	952
Management in your place of work	22.16% 211	41.81% 398	20.17% 192	14.29% 136	1.58% 15	952
Management in the NHS local area	9.78% 93	38.28% 364	22.40% 213	17.46% 166	12.09% 115	951
Your national government	5.99% 57	33.61% 320	33.72% 321	24.26% 231	2.42% 23	952

## Where are your suspected COVID-19 patients normally seen?


Answered: 567



ANSWER CHOICES	RESPONSES	
In your practice	38.62%	219
In a central COVID facility / hub	44.09%	250
Other (please specify)	30.34%	172
Total Respondents: 567		

We want to ask about PPE to be used by healthcare workers who are in contact with patients with possible or confirmed COVID-19. Do you currently have adequate supplies or shortages of the following PPE?


Answered: 518




	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL
Fluid-repellent facemasks	33.40% 173	43.63% 226	18.15% 94	4.83% 25	518
Aprons	60.08% 310	33.14% 171	2.71% 14	4.07% 21	516
Gloves	74.17% 382	21.55% 111	1.55% 8	2.72% 14	515
Eye protection	8.72% 45	24.42% 126	63.95% 330	2.91% 15	516

As well as PPE, please will you let us know whether you currently have adequate supplies or shortages of the following usual infection prevention and control measures?

Answered: 516






	ADEQUATE	SHORTAGES	NO SUPPLY AT ALL	DON'T KNOW	TOTAL
Alcohol Based Hand Rub (ABHR)	31.40% 162	55.62% 287	7.75% 40	5.23% 27	516
Disposable single use tissues	43.80% 226	30.81% 159	8.33% 43	17.05% 88	516
Soap	63.41% 324	23.68% 121	3.72% 19	9.20% 47	511
Clinical waste disposal bags	63.18% 326	14.53% 75	1.16% 6	21.12% 109	516
Detergent / disinfectant for cleaning	46.02% 237	26.41% 136	3.88% 20	23.69% 122	515
Decontaminant surface wipes	35.60% 183	47.67% 245	6.23% 32	10.51% 54	514
Moisturising handcream for post hand washing	18.68% 96	20.82% 107	43.58% 224	16.93% 87	514

## Do you have sufficient PPE for safe contact with both possible /confirmed COVID-19 patients, and with "Non-COVID" symptoms patients?


Answered: 516



ANSWER CHOICES	RESPONSES	
Always	6.40%	33
Usually	28.49%	147
Rarely	27.33%	141
Never	31.01%	160
Don't know	6.78%	35
TOTAL		516

## Have there been any issues with supplying PPE for doctors with different protected characteristics / specific individual needs (e.g. disabled doctors, Sikh doctors, Muslim female doctors)?


Answered: 482



ANSWER CHOICES	RESPONSES	
Yes	10.58%	51
No	25.10%	121
Don't know	64.32%	310
TOTAL		482

## Are you receiving regular and sufficient deliveries of the following items of PPE?


Answered: 483



	YES	NO	DON'T KNOW	TOTAL
Facemasks	14.97% 72	58.42% 281	26.61% 128	481
Aprons	22.50% 108	47.71% 229	29.79% 143	480
Gloves	29.11% 140	42.20% 203	28.69% 138	481
Eye protection	2.90% 14	79.09% 382	18.01% 87	483

## Have you experienced difficulties with getting supplies through your nation's PPE supply disruption helpline / PPE hotline?


Answered: 480



ANSWER CHOICES	RESPONSES	
Always	35.42%	170
Sometimes	23.54%	113
Never	2.08%	10
Not aware of helpline / hotline	26.04%	125
Not relevant	12.92%	62
<b>TOTAL</b>		<b>480</b>

# Have you had to purchase supplies directly yourself of any of the following items of PPE due to non-availability of NHS supplies?


Answered: 484



	FREQUENTLY	OCCASIONALLY	NEVER	DON'T KNOW	TOTAL
Facemasks	36.90% 176	24.74% 118	28.09% 134	10.27% 49	477
Aprons	19.70% 93	14.83% 70	52.12% 246	13.35% 63	472
Gloves	27.27% 129	15.64% 74	45.88% 217	11.21% 53	473
Eye protection	55.81% 269	13.07% 63	17.01% 82	14.11% 68	482

## Have you received advice or training on best practice in putting on, correct fitting, and taking off PPE?


Answered: 481



ANSWER CHOICES	RESPONSES	
Both advice and training	8.94%	43
Advice	42.41%	204
Training	3.74%	18
None	43.66%	210
Already fully trained	0.83%	4
Not relevant	0.42%	2
<b>TOTAL</b>		<b>481</b>

## Taking everything into account, do you feel safely protected from coronavirus infection in your place of work?


Answered: 482



ANSWER CHOICES	RESPONSES	
Fully	2.07%	10
Partly	47.72%	230
Not at all	50.00%	241
Don't know	0.21%	1
<b>TOTAL</b>		<b>482</b>

## Does your local NHS offer testing for GPs?


Answered: 477



	ALWAYS	SOMETIMES	NEVER	DON'T KNOW	TOTAL
For those self-isolating with symptoms	8.60% 41	20.55% 98	60.59% 289	10.27% 49	477
For members of households where others have symptoms and you have to self-isolate	5.26% 25	12.21% 58	68.42% 325	14.11% 67	475

## What impact is self-isolation having in your place of work with regard to staffing capacity and workload?


Answered: 472




ANSWER CHOICES	RESPONSES	
Significantly reduced capacity / increased workload	40.68%	192
Slightly reduced capacity / increased workload	52.75%	249
No impact	4.24%	20
Don't know	2.33%	11
<b>TOTAL</b>		<b>472</b>

# How far do you personally feel supported and confident that everything possible is being done by the following:

Answered: 472






■ Very   
 ■ To some extent   
 ■ Not very   
 ■ Not at all   
 ■ Don't know

	VERY	TO SOME EXTENT	NOT VERY	NOT AT ALL	DON'T KNOW	TOTAL
Immediate colleagues	63.14% 298	23.94% 113	8.90% 42	3.81% 18	0.21% 1	472
Management in your place of work	59.53% 281	27.75% 131	7.20% 34	5.30% 25	0.21% 1	472
Management in the NHS local area	7.45% 35	41.70% 196	30.64% 144	17.66% 83	2.55% 12	470
Your national government	2.54% 12	29.24% 138	35.38% 167	32.20% 152	0.64% 3	472

## How far do you feel you are getting sufficient support around your mental health and wellbeing)?

Answered: 473



ANSWER CHOICES	RESPONSES	
Fully	6.13%	29
Partly	29.81%	141
Not at all	41.23%	195
I don't need support	20.51%	97
Prefer not to say	2.33%	11
TOTAL		473